




LEGEND

Quaternary

- O** ORGANIC DEPOSITS: peat, muck; <1–5 m thick; very low relief wetland deposits; commonly in low-lying areas; accumulated in fen, bog, swamp, and marsh settings; in areas of permafrost, commonly include permafrost features such as patterned ground and peat palsas
- Lm** SHORELINE SEDIMENTS: sand and gravel; 1–2 m thick; beaches; formed by waves at the margins of modern lakes
- C** COLLUVIUM: landslide debris, eroded slopes, sheet flood deposits associated with steep slopes
- E** EOLIAN: sand and minor silt; dunes, blowouts and undulating plains; generally overlies deltaic sediments, coarse lacustrine sediments, or glaciofluvial deposits
- A** ALLUVIAL SEDIMENTS: sand and gravel, sand, silt, clay, organic detritus; 1–20 m thick; channel and overbank sediments
- Ms** MARGINAL GLACIOMARINE SEDIMENTS: littoral sand and gravel; 1–10 m thick; beach ridges, spits, bars; formed by waves at the margin of the Holocene Tyrell Sea and present-day Hudson Bay
- M** OFFSHORE GLACIOMARINE SEDIMENTS: clay, silt, minor sand; 1–20 m thick; very low relief massive and laminated deposits which are commonly overlain by peat; deposited from suspension in the offshore, deep water of the Holocene Tyrell Sea and present-day Hudson Bay
- Ls** MARGINAL GLACIOLACUSTRINE SEDIMENTS: sand and gravel; 1–20 m thick; beach ridges, spits, bars, littoral sand and gravel; formed by waves at the margin of glacial Lake Agassiz and other small proglacial lakes
- Lc** OFFSHORE GLACIOLACUSTRINE SEDIMENTS: clay, silt, minor sand; 1–20 m thick; low relief massive and laminated deposits; deposited from suspension in offshore deep water of proglacial lakes, primarily glacial Lake Agassiz; commonly scoured and homogenized by icebergs
- Gs** DISTAL GLACIOFLUVIAL SEDIMENTS: fine sand, minor gravel, thin silt and clay interbeds; 1–75 m thick; subaqueous or subaerial outwash fans, deltas and blankets; commonly reshaped by wave erosion and/or reworked by wind
- G** PROXIMAL GLACIOFLUVIAL SEDIMENTS: sand and gravel; 1–20 m thick; complex deposits, belts with single or multiple esker ridges and kames, as well as thin, low-relief deposits; deposited in contact with glacial ice by meltwater

TILL: diamicton; unsorted glacial debris; 1–75 m thick; generally low-relief, commonly streamlined deposits; in Lake Agassiz basin areas, the till can be wave washed, covered discontinuously by a thin veneer of glaciolacustrine sediments and scoured by icebergs; thicker sequences in the Hudson Bay Lowland, consist of multiple units of varying texture and provenance

- Tm** CALCAREOUS SHALE-RICH DIAMICTON: calcareous diamicton; fine-grained matrix; contains a high percentage of Mesozoic shale clasts
- Tc** CALCAREOUS DIAMICTON: fine-grained matrix; contains a high percentage of Paleozoic carbonate-bearing clasts
- Tp** NON-CALCAREOUS DIAMICTON: fine-grained to sandy matrix; contains a high percentage of Precambrian intrusive, metasedimentary and metavolcanic rocks

Pre-Quaternary

ROCK: > 75% bedrock outcrop; generally subglacially eroded and unweathered; in areas of permafrost includes frost shattered, angular, monolithic boulder fields (Felsenmeer)

- Rm** MESOZOIC TERRANE: shale-dominated rocks above the Manitoba Escarpment, exposed in the base of spillways and along the Manitoba Escarpment in association with colluvium
- Rc** PALEOZOIC TERRANE: carbonate-dominated rocks; exposed typically as glacially striated, low-relief surfaces in areas west of Lake Winnipeg; along large river valleys in the Hudson Bay lowland
- Rp** PRECAMBRIAN TERRANE: intrusive, metasedimentary, and metavolcanic rocks having a glacially scoured irregular surface with high local relief

Uncoloured legend blocks indicate units that do not appear on this map.
Letter symbols on legend blocks (not shown on map face) are used to identify units in the map legend database included online and on the DVD (2007).
To aid the reader, a shadow effect has been added to exaggerate the topographic relief based on data from the Shuttle Radar Topography Mission Digital Elevation Model.¹

¹ United States Geological Survey, 2002: Shuttle radar topography mission, digital elevation model, Manitoba. United States Geological Survey, URL: <http://topographic.nas.nasa.gov/vis/daac/html/node1002.html>, portions of files downloaded through NASA's FTP site, 1:5 m resolution, 30 m cell, zipped hgt format (Mar 2003).


Published by: Manitoba Growth, Enterprise and Trade
Manitoba Geological Survey, 2017

Compiled by: M.S. Gauthier, G.L.D. Matile and G.R. Keller

SURFICIAL GEOLOGY COMPILATION MAP SERIES

SG-53M

Surficial geology of the Knee Lake map sheet (NTS 53M), Manitoba



North American Datum 1983
Universal Transverse Mercator Projection, Zone 14
Shuttle Radar Topography Mission elevation data provided by NASA (2003)
100X vertical exaggeration
Approximate mean declination (2017) for centre of map is 0°1.32' W, increasing 3.3' annually.

The DVD containing the entire Surficial Geology Compilation Map Series (2007)

can be obtained from:
Manitoba Growth, Enterprise and Trade
Manitoba Geological Survey, Publication Sales
360-1395 Ellice Ave
Winnipeg, MB, R3G 3P2
Canada

Phone: (204) 945-6569
Toll free: 1-800-223-5215
E-mail: minesinfo@gov.mb.ca
This map is available to download
free of charge at
www.gov.mb.ca/minerals

Suggested reference:
Gauthier, M.S., Matile, G.L.D. and Keller, G.R. 2017: Surficial geology of the Knee Lake map sheet
(NTS 53M), Manitoba; Manitoba Growth, Enterprise and Trade; Manitoba Geological Survey,
Surficial Geology Compilation Map Series, SG-53M, scale 1:250 000.

Modified from:
Klassen, R.W. and Netterville, J.A. 1979: Surficial geology, Knee Lake, Manitoba; Geological Survey of Canada, Preliminary Map,
Map 11-1978, scale 1:250 000.

Trommelen, M.S. 2014: Surficial geology of the Makakaysip Lake map area, Manitoba (NTS 53M1); Manitoba Mineral Resources,
Manitoba Geological Survey, Geoscientific Map MAP2013-6, scale 1:50 000.

Trommelen, M.S. 2014: Surficial geology of the Mines Point map area, Manitoba (NTS 53M2); Manitoba Mineral Resources, Manitoba
Geological Survey, Geoscientific Map MAP2013-7, scale 1:50 000.

