

DALY UNIT NO. 9

WATERFLOOD EOR PROJECT

ANNUAL REPORT FOR 2016

April 26, 2017

Tundra Oil and Gas Partnership


Table of Contents

INTRODUCTION.....	3
DISCUSSION.....	3
Production History	3
Waterflood History.....	5
Waterflood EOR Operating Strategy and Performance	6
Water Source and Quality	6
Injection Wellhead Pressures	6
Reservoir Pressure	6
Well Servicing	6
Waterflood Performance Discussion	6
List of Appendices.....	7
Appendix A: Well Name and Well Status	

INTRODUCTION

Daly Unit No. 9 Enhanced Oil Recovery (EOR) Waterflood Project was approved on September 1, 2015 with Tundra Oil and Gas (Tundra) as Operator. The EOR project area, outlined in green in Figure 1, contains 4 producing horizontal in 16 LSDs in Township 10, Range 29W1. Well list and well status is available in Appendix A.

Figure 1: Daly Unit No. 9 Area Outline



In accordance with Section 73 of the Manitoba Drilling and Production Regulation, Tundra submits the following 2016 Annual Progress Report for Daly Unit No. 9.

DISCUSSION

Production History

For the wells included in Daly Unit No. 9, production started in January 2009 with the 00/01-26-010-29W1/00 well. Oil production peaked at 51.64 m³/d in April 2012. In December 2016, the Unit was producing 3.91 m³/d of oil and 12.47 m³/d of water and the average WOR was 1.59 m³/m³. There is currently no water injection in Daly Unit No. 9. The rates and WOR are presented in Figure 2.

Figure 2: Daly Unit No. 9 Production/Injection Rates and WOR vs. Time





Figure 3 shows the cumulative production for Daly Unit No. 9 to the end of December 2016 as 38.3 e³m³ of oil and 41.47 e³m³ of water, representing an 8.2% recovery factor of the OOIP.

Figure 3: Daly Unit No. 9 Cumulative Oil, Water and Water Injected vs. Time



Waterflood History

Daly Unit No. 9 is still in the development phase at the end of 2016. Tundra's future proposed plans for this unit include converting the 00/12-26 producer into an injector and drilling a future horizontal injector between the 00/01-26 and 02/05-26 producers, creating a 40 acre line drive waterflood pattern and a 20 acre line drive waterflood pattern.

Any future revisions to the waterflood development or surveillance plan would be based on new production or performance response data, technical studies, or observed reservoir behavior and reserves recovery interpretations.

Waterflood EOR Operating Strategy and Performance

Water Source and Quality

Injection water for Daly Unit No. 9 will be supplied from the Jurassic source water well at 100/02-25-010-29W1 (00/02-25). Tundra received approval from the Petroleum Branch in March 2013 to use the 00/02-25 well as a source water well for waterflood operations. Jurassic-sourced water will be pumped from the 00/02-25 source well to the Daly 12-24-10-29 battery, where it will be filtered and then pumped up to injection system pressure.

Injection Wellhead Pressures

No wellhead injection pressure is available for Daly Unit No. 9.

Reservoir Pressure

Where practical, Tundra is committed to collecting pressure data from newly drilled wells. For Daly Unit No. 9, no reservoir pressure measurements were taken in 2016.

Well Servicing

Table 1 lists the maintenance that was required in Daly Unit No. 9 in 2016.

Table 1: Service and Maintenance in Daly Unit No. 9

00/12-26-010-29W1/0	Pump Change	11/25/2016
---------------------	-------------	------------

Waterflood Performance Discussion

At the end of 2016, there is currently no water injection in Daly Unit No. 9, therefore, there is no waterflood analysis that can be done at this time.

List of Appendices

Appendix A: Well Name and Well Status

APPENDIX A

<i>UWI</i>	<i>Surface Hole Location</i>	<i>License Number</i>	<i>Type</i>	<i>Status</i>
100/01-26-010-29W1/0	100/01-27-010-29W1/0	006859	Horizontal	Capable of OIL Prod
100/05-26-010-29W1/0	100/08-26-010-29W1/0	007908	Horizontal	Capable of OIL Prod
100/12-26-010-29W1/0	100/09-26-010-29W1/0	007909	Horizontal	Capable of OIL Prod
100/13-26-010-29W1/0	100/16-26-010-29W1/0	007910	Horizontal	Capable of OIL Prod