

Innovation, Energy and Mines

Petroleum Branch
 360-1395 Ellice Ave, Winnipeg MB R3G 3P2
 T 204-945-6577 F 204-945-0586
www.manitoba.ca

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/09 – November 23/09)

<u>DRILLING ACTIVITY</u>	to Nov. 23/09	To Nov. 24/08	2008 Total
Drilling Licences Issued	240	304	332
Licences Cancelled	8	22	25
Vertical Wells Drilled	43	177	186
Horizontal Wells Drilled	191	108	127
Stratigraphic Test Holes Drilled	0	3	3
Wells Drilled - Total	234	288	316
No. of Metres Drilled	443 625	414 725	457 575
Wells Re-entered	3	4	4
Wells Being Drilled	6	5	0
No. of Active Rigs	7	8	0
Wells Licenced but Not Spudded	25	34	38
Wells Completed as Potential Oil Wells	232	265	291
Wells Abandoned Dry	5	16	19
Wells Drilled but Not Completed	0	2	0
Other Completions	0	9	10
New Wells on Production	151	204	264
<u>GEOPHYSICAL ACTIVITY</u>			
Geophysical Programs Licenced	15	13	14
Licences Cancelled	0	0	0
Kilometers Licenced	2 539	3 080	3 080
Kilometers Run	837	2 395	2 606
	2009	2008	
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)	
Month of September	459.29 (72.99)	645.29 (102.54)	
Month of October	479.10 (76.13)	517.91 (82.30)	
<u>OIL PRODUCTION (M3)</u>			
	2009	2008	
Month of June	112 264.2	104 731.4	
Cumulative Thru June 30	707 413.0	674 820.2	

WEEKLY WELL ACTIVITY REPORT**23 November 2009**

Lic. No.: 6768 North Virden Scallion Unit No. 1 HZNTL 9-10-11-26 (WPM)
UWI: 102.09-10-011-26W1.00 - Leg #1

Revision to Report of: 08-Sep-2008
Contractor: **Savana Drilling Limited - Rig# 435**

Spud Date: 19-Nov-2009
K.B. Elevation: 458.05 m
Surface Casing: 244.50 mm @ 304.00 m with 20.0 t
Intermediate Casing: 177.80 mm @ 750.00 m with 18.0 t
Status: Waiting On Cement (WOC)
Waiting On Cement: 23-Nov-2009

Lic. No.: 7074 Tundra Sinclair Prov. HZNTL 5-24-7-29 (WPM)
UWI: 100.05-24-007-29W1.00 - Leg #1

Spud Date: 19-Nov-2009
K.B. Elevation: 510.68 m
Surface Casing: 244.50 mm @ 140.00 m with 14.5 t
Intermediate Casing: 177.80 mm @ 1079.00 m with 15.0 t
Status: Cementing Casing (CMT CSG)
Cementing Casing: 23-Nov-2003

Lic. No.: 7079 CNRL Pierson 5-23-2-29 (WPM)
UWI: 100.05-23-002-29W1.00

Spud Date: 22-Nov-2009
K.B. Elevation: 472.25 m
Surface Casing: 219.10 mm @ 119.00 m with 10.0 t
Status: Waiting On Cement (WOC)
Waiting On Cement: 23-Nov-2009

Lic. No.: 7096 North Virden Scallion Unit No. 1 HZNTL A14-21-11-26 (WPM)
UWI: 104.14-21-011-26W1.00 - Leg #1

Revision to Report of: 09-Nov-2009
Intermediate Casing: 177.80 mm @ **1091.00** m with 18.0 t

UWI: 104.14-21-011-26W1.03 - Leg #3

Finished Drilling: 18-Nov-2009
Total Depth: 1 485 m
Rig Released: 19-Nov-2009

UWI: 104.14-21-011-26W1.00 - Leg #1
UWI: 104.14-21-011-26W1.02 - Leg #2
UWI: 104.14-21-011-26W1.03 - Leg #3

Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 19-Nov-2009

Lic. No.: 7097 Tundra Sinclair Prov. HZNTL 12-36-8-29 (WPM)
UWI: 100.12-36-008-29W1.00

Finished Drilling: 17-Nov-2009
Total Depth: 2439.00 m
Rig Released: 18-Nov-2009
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 18-Nov-2009

Lic. No.: 7099 Tundra Sinclair Prov. HZNTL 12-2-9-29 (WPM)
UWI: 100.12-02-009-29W1.00

Finished Drilling: 18-Nov-2009
Total Depth: 2 437 m
Rig Released: 19-Nov-2009
Status: Completing (COMP)
Completing: 20-Nov-2009

Lic. No.: 7100 Penn West Waskada Prov. HZNTL 14-18-1-25 (WPM)
UWI: 100.14-18-001-25W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 23-Nov-2009

Lic. No.: 7101 Penn West Waskada HZNTL 4-33-1-25 (WPM)
 UWI: 100.04-33-001-25W1.00

Spud Date: 17-Nov-2009
 K.B. Elevation: 477.80 m
 Surface Casing: 219.10 mm @ 251.00 m with 17.0 t
 Intermediate Casing: 139.70 mm @ 1645.00 m with 59.0 t
 Finished Drilling: 22-Nov-2009
 Total Depth: 1645.00 m
 Rig Released: 23-Nov-2009
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 23-Nov-2009

Lic. No.: 7103 Reliable Manson 1-8-13-29 (WPM)
 UWI: 100.01-08-013-29W1.00

Finished Drilling: 18-Nov-2009
 Total Depth: 804.00 m
 Rig Released: 19-Nov-2009
 Status: Abandoned Dry (ABD D)
 Abandoned Dry: 19-Nov-2009

Lic. No.: 7104 Koors South Linklater HZNTL 16-8-6-28 (WPM)
 UWI: 100.16-08-006-28W1.00

Finished Drilling: 21-Nov-2009
 Total Depth: 1841.00 m
 Rig Released: 22-Nov-2009
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Nov-2009

Lic. No.: 7108 Black Gold Sinclair 15-22-8-28 (WPM)
 UWI: 100.15-22-008-28W1.00

Revision to Report of: 09-Nov-2009
 Contractor: **Trinidad Drilling Ltd. - Rig# 10**

Spud Date: 18-Nov-2009
 K.B. Elevation: 485.72 m
 Surface Casing: 219.10 mm @ 135.50 m with 10.5 t
 Finished Drilling: 20-Nov-2009
 Total Depth: 912.00 m
 Production Casing: 114.10 mm @ 912.00 m with 25.0 t
 Rig Released: 22-Nov-2009
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Nov-2009

Lic. No.: 7110 Koors South Linklater HZNTL 8-8-6-28 (WPM)
 UWI: 100.08-08-006-28W1.00

**Please note revised well name
 (Licenced as 9-8-6-28 will be drilled as 8-8-6-28)**

Lic. No.: 7111

Tundra Sinclair Prov. HZNTL 13-2-9-29 (WPM)
UWI: 100.13-02-009-29W1.00

Licence Issued: 17-Nov-2009
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Crown
 Contractor: Trinidad Drilling Ltd. - Rig# 14
 Surf. Location: 16B-2-9-29 (WPM)
 Co-ords: 259.02 m (S) of (N) boundary of Sec. 2
 60.01 m (W) of (E) boundary of Sec. 2
 Grd Elev: 523.67 m
 Proj. TD: 2,291.00 m (Devonian)
 Field: Sinclair
 Classification: DEVELOPMENT (Well)
 Spud Date: 20-Nov-2009
 K.B. Elevation: 526.98 m
 Surface Casing: 244.50 mm @ 138.00 m with 12.6 t
 Intermediate Casing: 177.80 mm @ 1032.75 m with 12.2 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 23-Nov-2009

Lic. No.: 7112

Black Gold Sinclair 10-33-8-28 (WPM)
UWI: 100.10-33-008-28W1.00

Licence Issued: 17-Nov-2009
 Licensee: Black Gold Energy Ltd.
 Mineral Rights: Freehold
 Contractor: Trinidad Drilling Ltd. - Rig# 10
 Co-ords: 680.07 m (S) of (N) boundary of Sec. 33
 612.04 m (W) of (E) boundary of Sec. 33
 Grd Elev: 489.07 m
 Proj. TD: 900.00 m (Devonian)
 Field: Sinclair
 Classification: DEVELOPMENT (Well)
 Spud Date: 22-Nov-2009
 K.B. Elevation: 492.74 m
 Surface Casing: 219.00 mm @ 134.00 m with 10.5 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 23-Nov-2009

Lic. No.: 7113 Reliable South Kirkella 11-27-11-29 (WPM)
 UWI: 100.11-27-011-29W1.00

Licence Issued: 17-Nov-2009
 Licensee: Reliable Energy Ltd.
 Mineral Rights: Freehold
 Contractor: Tempco Drilling Company Inc. - Rig# 3
 Co-ords: 612.00 m (S) of (N) boundary of Sec. 27
 637.00 m (E) of (W) boundary of Sec. 27
 Grd Elev: 525.99 m
 Proj. TD: 865.00 m (Devonian)
 Area: South Kirkella
 Classification: EXPLORATORY (New Field Wildcat)
 Spud Date: 19-Nov-2009
 K.B. Elevation: 529.49 m
 Surface Casing: 177.80 mm @ 112.00 m with 7.0 t
 Finished Drilling: 22-Nov-2009
 Total Depth: 886.00 m
 Production Casing: Run
 Rig Released: 23-Nov-2009
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 23-Nov-2009

Lic. No.: 7114 Tundra Manson Prov. 12-24-13-29 (WPM)
 UWI: 100.12-24-013-29W1.00

Licence Issued: 18-Nov-2009
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Crown
 Contractor: Trinidad Drilling Ltd. - Rig# 9
 Co-ords: 652.42 m (S) of (N) boundary of Sec. 24
 83.90 m (E) of (W) boundary of Sec. 24
 Grd Elev: 498.67 m
 Proj. TD: 711.00 m (Devonian)
 Area: Manson
 Classification: EXPLORATORY (New Field Wildcat)
 Spud Date: 21-Nov-2009
 K.B. Elevation: 503.18 m
 Surface Casing: 177.80 mm @ 141.00 m with 8.0 t
 Status: Coring (COR)
 Coring: 23-Nov-2009

Lic. No.: 7115 EOG Waskada HZNTL 16-3-1-24 (WPM)
 UWI: 100.16-03-001-24W1.00

Licence Issued: 19-Nov-2009
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surf. Location: 14A-3-1-24 (WPM)
 Co-ords: 209.93 m (S) of (N) boundary of Sec. 3
 664.31 m (E) of (W) boundary of Sec. 3
 Grd Elev: 521.21 m
 Proj. TD: 1,650.00 m (Jurassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7116 EOG Waskada HZNTL A16-3-1-24 (WPM)
 UWI: 102.16-03-001-24W1.00

Licence Issued: 19-Nov-2009
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surf. Location: 14A-3-1-24 (WPM)
 Co-ords: 194.91 m (S) of (N) boundary of Sec. 3
 664.34 m (E) of (W) boundary of Sec. 3
 Grd Elev: 520.72 m
 Proj. TD: 1,650.00 m (Jurassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7117 EOG Waskada HZNTL B16-3-1-24 (WPM)
 UWI: 103.16-03-001-24W1.00

Licence Issued: 19-Nov-2009
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surf. Location: 14A-3-1-24 (WPM)
 Co-ords: 179.91 m (S) of (N) boundary of Sec. 3
 664.38 m (E) of (W) boundary of Sec. 3
 Grd Elev: 521.72 m
 Proj. TD: 1,650.00 m (Jurassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7118 Penn West Waskada HZNTL 2-10-2-26 (WPM)
 UWI: 100.02-10-002-26W1.00

Licence Issued: 23-Nov-2009
 Licensee: Penn West Petroleum
 Mineral Rights: Freehold
 Contractor: Big Sky Drilling Inc. - Rig# 37
 Surf. Location: 4B-11-2-26 (WPM)
 Co-ords: 200.00 m (N) of (S) boundary of Sec. 10
 100.00 m (E) of (W) boundary of Sec. 10
 Grd Elev: 463.37 m
 Proj. TD: 1,682.00 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7119

Tundra Daly DIR 2-19-10-29 (WPM)
UWI: 100.02-19-010-29W1.00

Licence Issued: 23-Nov-2009
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Freehold
Contractor: Trinidad Drilling Ltd. - Rig# 9
Surf. Location: 3A-19-10-29 (WPM)
Co-ords: 68.91 m (N) of (S) boundary of Sec. 19
724.64 m (E) of (W) boundary of Sec. 19
Grd Elev: 517.83 m
Proj. TD: 990.00 m (Devonian)
Field: Daly
Classification: EXPLORATORY (Outpost)
Status: Location (LOC)

WELL NAME CHANGES

Lic. No.: 7110

From: Koors South Linklater HZNTL 9-8-6-28 (WPM)
To: Koors South Linklater HZNTL 8-8-6-28 (WPM)