

Innovation, Energy and Mines

Petroleum Branch

360-1395 Ellice Ave, Winnipeg MB R3G 3P2

T 204-945-6577 F 204-945-0586

www.manitoba.ca

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/10 – March 8/10)

<u>DRILLING ACTIVITY</u>	to Mar. 8/10	To Mar. 9/09	2009 Total
Drilling Licences Issued	107	52	297
Licences Cancelled	0	0	13
Vertical Wells Drilled	29	4	53
Horizontal Wells Drilled	83	45	207
Stratigraphic Test Holes Drilled	0	0	0
Wells Drilled - Total	112	49	260
No. of Metres Drilled	198 414	99 977	482 963
Wells Re-entered	0	0	3
Wells Being Drilled	8	4	1
No. of Active Rigs	13	5	1
Wells Licenced but Not Spudded	42	39	52
Wells Completed as Potential Oil Wells	102	49	256
Wells Abandoned Dry	4	0	7
Wells Drilled but Not Completed	5	0	0
Other Completions	1	0	0
New Wells on Production	0	16	188
<u>GEOPHYSICAL ACTIVITY</u>			
Geophysical Programs Licenced	5	2	15
Licences Cancelled	0	0	0
Kilometers Licenced	545	407	2 007
Kilometers Run	10	0	1 045
	2010	2009	
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)	
Month of January	491.25 (78.06)	267.71 (42.54)	
Month of February	497.35 (79.03)	285.70 (45.40)	
<u>OIL PRODUCTION (M3)</u>	2009	2008	
Month of October	134 395.6	116 960.0	
Cumulative Thru October 31	1 227 733.9	1 135 217.0	

WEEKLY WELL ACTIVITY REPORT**08 March 2010**

Lic. No.: 7198 CNRL Pierson HZNTL 9-10-2-29 (WPM)
UWI: 102.09-10-002-29W1.00

Revision to Report of: 25-Jan-2010
Contractor: Precision Drilling - **Rig# 120**

Spud Date: 07-Mar-2010
K.B. Elevation: 472.51 m
Surface Casing: 244.50 mm @ 167.00 m with 18.0 t
Status: Waiting On Cement (WOC)
Waiting On Cement: 08-Mar-2010

Lic. No.: 7224 Tundra Daly Prov. HZNTL 1-10-9-29 (WPM)
UWI: 100.01-10-009-29W1.00

Status: Completing (COMP)
Completing: 04-Mar-2010

Lic. No.: 7226 Koors East Tilston 12-19-5-28 (WPM)
UWI: 100.12-19-005-28W1.00

Spud Date: 01-Mar-2010
K.B. Elevation: 487.82 m
Surface Casing: 244.50 mm @ 159.82 m with 15.0 t
Finished Drilling: 06-Mar-2010
Total Depth: 1176.00 m
Production Casing: Run
Rig Released: 08-Mar-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 08-Mar-2010

Lic. No.: 7227 Tundra Daly HZNTL 13-19-10-29 (WPM)
UWI: 100.13-19-010-29W1.00

Status: Completing (COMP)
Completing: 04-Mar-2010

Lic. No.: 7228 EOG Waskada HZNTL 14-1-2-25 (WPM)
UWI: 100.14-01-002-25W1.00

Status: Completing (COMP)
Completing: 03-Mar-2010

Lic. No.: 7229 EOG Waskada Prov. HZNTL 11-12-2-25 (WPM)
UWI: 100.11-12-002-25W1.00

Status: Completing (COMP)
Completing: 06-Mar-2010

- Lic. No.: 7231 EOG Waskada HZNTL 10-1-1-25 (WPM)
 UWI: 100.10-01-001-25W1.00
- Revision to Report of: 16-Feb-2010
 Contractor: **Horizon Drilling Incorporated - Rig# 701**
- Spud Date: 03-Mar-2010
 K.B. Elevation: 474.25 m
 Surface Casing: 219.10 mm @ 210.00 m with 14.5 t
 Finished Drilling: 06-Mar-2010
 Total Depth: 1634.00 m
 Production Casing: Run
 Rig Released: 07-Mar-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 07-Mar-2010
- Lic. No.: 7232 EOG Waskada HZNTL 12-1-1-25 (WPM)
 UWI: 100.12-01-001-25W1.00
- Revision to Report of: 01-Mar-2010
 Contractor: **Horizon Drilling Incorporated - Rig# 701**
- Finished Drilling: 01-Mar-2010
 Total Depth: 1680.00 m
 Production Casing: 139.70 mm @ 1680.00 m with 51.5 t
 Rig Released: 03-Mar-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 03-Mar-2010
- Lic. No.: 7234 Waskada Unit No. 5 HZNTL 3-3-2-26 (WPM)
 UWI: 102.03-03-002-26W1.00
- Production Casing: 139.70 mm @ 2145.00 m with 64.5 t
 Rig Released: 02-Mar-2010
 Status: Completing (COMP)
 Completing: 04-Mar-2010
- Lic. No.: 7235 Penn West Waskada 9-25-2-26 (WPM)
 UWI: 100.09-25-002-26W1.00
- Finished Drilling: 01-Mar-2010
 Total Depth: 945.00 m
 Rig Released: 02-Mar-2010
 Status: Abandoned Dry (ABD D)
 Abandoned Dry: 02-Mar-2010
- Lic. No.: 7236 Tundra Regent Prov. HZNTL 4-6-4-21 (WPM)
 UWI: 100.04-06-004-21W1.00 – Leg #1
 UWI: 100.01-01-004-22W1.02 – Leg #2
 UWI: 100.02-01-004-22W1.03 – Leg #3
- Status: Completing (COMP)
 Completing: 06-Mar-2010

Lic. No.: 7237 Petrobakken Waskada HZNTL 7-13-2-25 (WPM)
 UWI: 100.07-13-002-25W1.00

Status: Completing (COMP)
 Completing: 06-Mar-2010

Lic. No.: 7242 Petrobakken Waskada HZNTL 10-12-2-25 (WPM)
 UWI: 102.10-12-002-25W1.00

Status: Completing (COMP)
 Completing: 06-Mar-2010

Lic. No.: 7243 Molopo Pierson HZNTL 8-28-1-28 (WPM)
 UWI: 100.08-28-001-28W1.00

Spud Date: 01-Mar-2010
 K.B. Elevation: 465.46 m
 Surface Casing: 219.10 mm @ 309.00 m with 21.0 t
 Finished Drilling: 07-Mar-2010
 Total Depth: 2228.00 m
 Status: Preparing To Run Casing (PREP CSG)
 Preparing To Run Casing: 08-Mar-2010

Lic. No.: 7244 Penn West Waskada 11-21-2-26 (WPM)
 UWI: 100.11-21-002-26W1.00

Spud Date: 03-Mar-2010
 K.B. Elevation: 464.67 m
 Surface Casing: 244.50 mm @ 257.00 m with 23.5 t
 Finished Drilling: 07-Mar-2010
 Total Depth: 965.00 m
 Status: Abandoning (ABDG)
 Abandoning: 08-Mar-2010

Lic. No.: 7246 Penn West Waskada HZNTL 1-14-2-25 (WPM)
 UWI: 100.01-14-002-25W1.00

Spud Date: 03-Mar-2010
 K.B. Elevation: 478.06 m
 Surface Casing: 219.10 mm @ 257.00 m with 17.5 t
 Finished Drilling: 06-Mar-2010
 Total Depth: 1486.00 m
 Production Casing: 139.70 mm @ 1486.00 m with 38.5 t
 Rig Released: 07-Mar-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 07-Mar-2010

Lic. No.: 7247 Molopo Pierson HZNTL 13-27-1-28 (WPM)
 UWI: 100.13-27-001-28W1.00

Status: Completing (COMP)
 Completing: 05-Mar-2010

Lic. No.: 7249 Tundra Daly HZNTL 8-4-9-28 (WPM)
UWI: 100.08-04-009-28W1.00

Spud Date: 01-Mar-2010
K.B. Elevation: 496.37 m
Surface Casing: 244.50 mm @ 142.00 m with 14.0 t
Intermediate Casing: 177.80 mm @ 997.00 m with 13.0 t
Finished Drilling: 07-Mar-2010
Total Depth: 2402.00 m
Status: Setting Liner (SETTING LINER)
Setting Liner: 08-Mar-2010

Lic. No.: 7251 Reliable South Kirkella 5-27-11-29 (WPM)
UWI: 100.05-27-011-29W1.00

Status: Completing (COMP)
Completing: 02-Mar-2010

Lic. No.: 7252 Reliable et al South Kirkella 15-36-11-29 (WPM)
UWI: 100.15-36-011-29W1.00

Status: Completing (COMP)
Completing: 08-Mar-2010

Lic. No.: 7254 Petrobakken Goodlands HZNTL 13-6-2-24 (WPM)
UWI: 100.13-06-002-24W1.00

Intermediate Casing: 177.80 mm @ 983.00 m with 15.3 t
Finished Drilling: 05-Mar-2010
Total Depth: 1413.00 m
Rig Released: 06-Mar-2010
Status: Completing (COMP)
Completing: 06-Mar-2010

Lic. No.: 7255 Tundra Melita DIR 16-4-4-27 (WPM)
UWI: 100.16-04-004-27W1.00

Finished Drilling: 03-Mar-2010
Total Depth: 1080.00 m
Rig Released: 04-Mar-2010
Status: Abandoned Dry (ABD D)
Abandoned Dry: 04-Mar-2010

Lic. No.: 7256 Tundra Regent Prov. DIR 5-2-4-22 (WPM)
UWI: 100.05-02-004-22W1.00

Finished Drilling: 02-Mar-2010
Total Depth: 940.00 m
Rig Released: 04-Mar-2010
Status: Abandoned Dry (ABD D)
Abandoned Dry: 04-Mar-2010

- Lic. No.: 7257 Tundra Daly HZNTL 12-18-9-29 (WPM)
UWI: 100.12-18-009-29W1.00
- Revision to Report of: 01-Mar-2010
Surf. Location: **12C**-17-9-29 (WPM)
- Surface Casing: 244.50 mm @ 140.00 m with 12.5 t
Finished Drilling: 07-Mar-2010
Total Depth: 2443.00 m
Status: Setting Liner (SETTING LINER)
Setting Liner: 08-Mar-2010
- Lic. No.: 7258 EOG Waskada HZNTL 7-15-1-25 (WPM)
UWI: 100.07-15-001-25W1.00
- Finished Drilling: 04-Mar-2010
Total Depth: 1678.00 m
Production Casing: 139.70 mm @ 1678.00 m with 42.0 t
Rig Released: 05-Mar-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 05-Mar-2010
- Lic. No.: 7259 Petrobakken Goodlands Prov. HZNTL 7-16-2-24 (WPM)
UWI: 100.07-16-002-24W1.00
- Revision to Report of: 01-Mar-2010
Contractor: **Eagle Drilling Services Ltd. - Rig# 1**
- Spud Date: 01-Mar-2010
K.B. Elevation: 497.35 m
Surface Casing: 244.50 mm @ 183.00 m with 14.0 t
Casing: Run
Finished Drilling: 05-Mar-2010
Total Depth: 1577.00 m
Rig Released: 06-Mar-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 06-Mar-2010
- Lic. No.: 7260 EOG Waskada HZNTL 15-1-2-25 (WPM)
UWI: 100.15-01-002-25W1.00
- Spud Date: 05-Mar-2010
K.B. Elevation: 483.39 m
Finished Drilling: 08-Mar-2010
Total Depth: 1625.00 m
Surface Casing: 219.10 mm @ 207.50 m with 12.0 t
Status: Preparing To Run Casing (PREP CSG)
Preparing To Run Casing: 08-Mar-2010

- Lic. No.: 7261 Sinclair Unit No. 3 Prov. HZNTL WIW 13-2-8-29 (WPM)
UWI: 102.13-02-008-29W1.00
- Finished Drilling: 03-Mar-2010
Total Depth: 2430.00 m
Rig Released: 04-Mar-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 04-Mar-2010
- Lic. No.: 7262 Sinclair Unit No. 3 Prov. HZNTL WIW 1-12-8-29 (WPM)
UWI: 102.01-12-008-29W1.00
- Spud Date: 05-Mar-2010
K.B. Elevation: 503.78 m
Surface Casing: 244.50 mm @ 140.00 m with 12.0 t
Intermediate Casing: 177.80 mm @ 1037.50 m with 13.2 t
Status: Drilling Ahead (DR)
Drilling Ahead: 08-Mar-2010
- Lic. No.: 7263 Sinclair Unit No. 3 HZNTL WIW 16-3-8-29 (WPM)
UWI: 102.16-03-008-29W1.00
- Revision to Report of: 01-Mar-2010
Contractor: Trinidad Drilling Ltd. - **Rig# 10**
- Spud Date: 04-Mar-2010
K.B. Elevation: 525.36 m
Surface Casing: 244.50 mm @ 141.00 m with 15.0 t
Intermediate Casing: 177.80 mm @ 1078.00 m with 14.2 t
Status: Drilling Ahead (DR)
Drilling Ahead: 08-Mar-2010
- Lic. No.: 7264 Tundra Sinclair HZNTL 9-24-8-28 (WPM)
UWI: 100.09-24-008-28W1.00
- Spud Date: 05-Mar-2010
K.B. Elevation: 480.02 m
Surface Casing: 244.50 mm @ 141.00 m with 12.6 t
Status: Preparing To Run Casing (PREP CSG)
Preparing To Run Casing: 08-Mar-2010

- Lic. No.: 7266 Connaught Pierson Prov. 8-20-3-29 (WPM)
 UWI: 100.08-20-003-29W1.00
- Revision to Report of: 01-Mar-2010
 Contractor: **Totem Drilling Ltd. - Rig# 2**
- Spud Date: 03-Mar-2010
 K.B. Elevation: 486.80 m
 Surface Casing: 177.80 mm @ 150.00 m with 7.0 t
 Production Casing: 114.30 mm @ 1052.80 m with 14.0 t
 Finished Drilling: 05-Mar-2010
 Total Depth: 1056.00 m
 Rig Released: 06-Mar-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 06-Mar-2010
- Lic. No.: 7267 Connaught Pierson DIR 6-21-3-29 (WPM)
 UWI: 100.06-21-003-29W1.00
- Revision to Report of: 01-Mar-2010
 Contractor: **Totem Drilling Ltd. - Rig# 2**
- Spud Date: 07-Mar-2010
 K.B. Elevation: 483.50 m
 Surface Casing: 219.10 mm @ 158.00 m with 9.0 t
 Status: Waiting On Cement (WOC)
 Waiting On Cement: 08-Mar-2010
- Lic. No.: 7269 Reliable et al South Kirkella 3-22-11-29 (WPM)
 UWI: 100.03-22-011-29W1.00
- Finished Drilling: 02-Mar-2010
 Total Depth: 902.00 m
 Production Casing: Run
 Rig Released: 03-Mar-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 03-Mar-2010
- Lic. No.: 7270 Reliable et al South Kirkella Prov. 14-22-11-29 (WPM)
 UWI: 100.14-22-011-29W1.00
- Spud Date: 04-Mar-2010
 K.B. Elevation: 530.48 m
 Surface Casing: 177.80 mm @ 110.00 m with 8.2 t
 Finished Drilling: 06-Mar-2010
 Total Depth: 897.00 m
 Production Casing: Run
 Rig Released: 07-Mar-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 07-Mar-2010

Lic. No.: 7272 Petrobakken Waskada HZNTL 11-10-2-24 (WPM)
 UWI: 100.11-10-002-24W1.00

Spud Date: 06-Mar-2010
 K.B. Elevation: 504.41 m
 Surface Casing: 244.50 mm @ 188.00 m with 12.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 08-Mar-2010

Lic. No.: 7273 Tundra Sinclair HZNTL 11-3-8-28 (WPM)
 UWI: 100.11-03-008-28W1.00

Licence Issued: 03-Mar-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Freehold
 Contractor: Trinidad Drilling Ltd. - Rig# 14
 Surf. Location: 11A-4-8-28 (WPM)
 Co-ords: 694.60 m (S) of (N) boundary of Sec. 4
 733.00 m (E) of (W) boundary of Sec. 4
 Grd Elev: 496.65 m
 Proj. TD: 2,442.00 m (Devonian)
 Field: Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7274 Sinclair Unit No. 3 HZNTL WIW 1-3-8-29 (WPM)
 UWI: 102.01-03-008-29W1.00

Licence Issued: 03-Mar-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Freehold
 Contractor: Trinidad Drilling Ltd. - Rig# 10
 Surf. Location: 4C-3-8-29 (WPM)
 Co-ords: 395.29 m (N) of (S) boundary of Sec. 3
 60.00 m (E) of (W) boundary of Sec. 3
 Grd Elev: 521.93 m
 Proj. TD: 2,420.00 m (Devonian)
 Field: Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7275 Magellan Border Sinclair HZNTL 4-5-8-28 (WPM)
 UWI: 100.04-05-008-28W1.00

Licence Issued: 03-Mar-2010
 Licensee: Magellan Resources Ltd.
 Mineral Rights: Freehold
 Contractor: Red Dog Drilling Inc. - Rig# 1
 Surf. Location: 2C-5-8-28 (WPM)
 Co-ords: 290.06 m (N) of (S) boundary of Sec. 5
 745.39 m (W) of (E) boundary of Sec. 5
 Grd Elev: 499.05 m
 Proj. TD: 1,640.00 m (Devonian)
 Field: Sinclair
 Classification: DEVELOPMENT (Well)
 Spud Date: 06-Mar-2010
 K.B. Elevation: 503.25 m
 Surface Casing: 244.50 mm @ 147.00 m with 14.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 08-Mar-2010

Lic. No.: 7276 Reliable East Manson Prov. 7-16-13-28 (WPM)
 UWI: 100.07-16-013-28W1.00

Licence Issued: 03-Mar-2010
 Licensee: Reliable Energy Ltd.
 Mineral Rights: Crown
 Contractor: Tempco Drilling Company Inc. - Rig# 3
 Co-ords: 535.00 m (N) of (S) boundary of Sec. 16
 534.90 m (W) of (E) boundary of Sec. 16
 Grd Elev: 489.78 m
 Proj. TD: 711.00 m (Devonian)
 Area: East Manson
 Classification: EXPLORATORY (Outpost)
 Spud Date: 07-Mar-2010
 K.B. Elevation: 493.63 m
 Surface Casing: 177.80 mm @ 120.00 m with 8.2 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 08-Mar-2010

Lic. No.: 7277 Antler River Daly HZNTL 4-18-9-28 (WPM)
 UWI: 102.04-18-009-28W1.00

Licence Issued: 03-Mar-2010
 Licensee: Antler River Resources Ltd.
 Mineral Rights: Freehold
 Contractor: Terroco Drilling Ltd. - Rig# 9
 Surf. Location: 2B-18-9-28 (WPM)
 Co-ords: 115.00 m (N) of (S) boundary of Sec. 18
 604.77 m (W) of (E) boundary of Sec. 18
 Grd Elev: 505.06 m
 Proj. TD: 995.00 m (Devonian)
 Field: Daly
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7278 Waskada Unit No. 3 HZNTL 9-31-1-25 (WPM)
 UWI: 102.09-31-001-25W1.00

Licence Issued: 04-Mar-2010
 Licensee: Penn West Petroleum
 Mineral Rights: Freehold
 Contractor: Big Sky Drilling Inc. - Rig# 37
 Surf. Location: 11A-31-1-25 (WPM)
 Co-ords: 800.00 m (S) of (N) boundary of Sec. 31
 602.30 m (E) of (W) boundary of Sec. 31
 Grd Elev: 468.98 m
 Proj. TD: 1,672.00 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7279 Waskada Unit No. 3 HZNTL 16-31-1-25 (WPM)
 UWI: 102.16-31-001-25W1.00

Licence Issued: 04-Mar-2010
 Licensee: Penn West Petroleum
 Mineral Rights: Freehold
 Contractor: Big Sky Drilling Inc. - Rig# 37
 Surf. Location: 11D-31-1-25 (WPM)
 Co-ords: 420.00 m (S) of (N) boundary of Sec. 31
 600.61 m (W) of (E) boundary of Sec. 31
 Grd Elev: 470.36 m
 Proj. TD: 1,735.00 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7280 Tundra Sinclair Prov. HZNTL 1-34-7-28 (WPM)
 UWI: 100.01-34-007-28W1.00

Licence Issued: 05-Mar-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Crown
 Contractor: Trinidad Drilling Ltd. - Rig# 14
 Surf. Location: 4B-34-7-28 (WPM)
 Co-ords: 118.63 m (N) of (S) boundary of Sec. 34
 60.00 m (E) of (W) boundary of Sec. 34
 Grd Elev: 491.35 m
 Proj. TD: 2,327.00 m (Devonian)
 Field: Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7281 Tundra et al Daly HZNTL 13-5-9-28 (WPM)
 UWI: 100.13-05-009-28W1.00

Licence Issued: 05-Mar-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Freehold
 Contractor: Trinidad Drilling Ltd. - Rig# 5
 Surf. Location: 16A-5-9-28 (WPM)
 Co-ords: 248.04 m (S) of (N) boundary of Sec. 5
 132.60 m (W) of (E) boundary of Sec. 5
 Grd Elev: 480.86 m
 Proj. TD: 2,171.00 m (Devonian)
 Field: Daly
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7282 EOG Waskada HZNTL 1-9-1-25 (WPM)
 UWI: 100.01-09-001-25W1.00

Licence Issued: 05-Mar-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surf. Location: 3A-9-1-25 (WPM)
 Co-ords: 94.91 m (N) of (S) boundary of Sec. 9
 664.20 m (E) of (W) boundary of Sec. 9
 Grd Elev: 468.49 m
 Proj. TD: 1,650.00 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7283 Relative Daly HZNTL 3-17-9-28 (WPM)
 UWI: 100.03-17-009-28W1.00

Licence Issued: 05-Mar-2010
 Licensee: Relative Resources Ltd.
 Mineral Rights: Freehold
 Contractor: Terroco Drilling Ltd. - Rig# 9
 Surf. Location: 2A-18-9-28 (WPM)
 Co-ords: 82.17 m (N) of (S) boundary of Sec. 18
 509.30 m (W) of (E) boundary of Sec. 18
 Grd Elev: 503.07 m
 Proj. TD: 2,071.00 m (Devonian)
 Field: Daly
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)