

Innovation, Energy and Mines

Petroleum Branch

360-1395 Ellice Ave, Winnipeg MB R3G 3P2

T 204-945-6577 F 204-945-0586

www.manitoba.ca

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/10 – August 9/10)

DRILLING ACTIVITY

	To August 9/10	To August 10/09	2009 Total
Drilling Licences Issued	332	147	297
Licences Cancelled	0	3	13
Vertical Wells Drilled	54	25	53
Horizontal Wells Drilled	184	112	207
Stratigraphic Test Holes Drilled	0	0	0
Wells Drilled - Total	239	137	260
No. of Metres Drilled	434 782	259 316	482 963
Wells Re-entered	0	2	3
Wells Being Drilled	12	6	1
No. of Active Rigs	18	6	1
Wells Licenced but Not Spudded	133	37	52
Wells Completed as Potential Oil Wells	208	138	256
Wells Abandoned Dry	11	1	7
Wells Drilled but Not Completed	3	0	0
Other Completions	17	0	0
New Wells on Production	108	56	226

GEOPHYSICAL ACTIVITY

Geophysical Programs Licenced	10	5	15
Licences Cancelled	0	0	0
Kilometers Licenced	932	906	2 096
Kilometers Run	483	828	1 611

	2010	2009
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)
Month of June	457.09 (72.64)	459.18 (72.97)
Month of July	470.00 (74.69)	425.23 (67.57)

	2010	2009
<u>OIL PRODUCTION (M3)</u>		
Month of March	152 042.9	120 086.6
Cumulative Thru March 31	430 857.8	353 031.9

WEEKLY WELL ACTIVITY REPORT**09 August 2010**

Lic. No.: 2694 Waskada Unit No. 4 Prov. WIW 7-24-1-26 (WPM)
UWI: 100.07-24-001-26W1.00

Status: Abandoned Water Injection Well (ABD WIW)
Abandoned Water Injection Well: 09-Aug-2010

Lic. No.: 7130 EOG Waskada HZNTL A9-8-1-24 (WPM)
UWI: 103.09-08-001-24W1.00

Spud Date: 06-Aug-2010
K.B. Elevation: 489.53 m
Surface Casing: 219.10 mm @ 149.60 m with 10.0 t
Finished Drilling: 08-Aug-2010
Total Depth: 1648.00 m
Production Casing: 139.7 mm @ 1648.00 m with 44 t
Rig Released: 09-Aug-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 09-Aug-2010

Lic. No.: 7210 Enerplus Daly Prov. HZNTL 12-10-10-28 (WPM)
UWI: 102.12-10-010-28W1.00

Status: Completing (COMP)
Completing: 04-Aug-2010

Lic. No.: 7278 Waskada Unit No. 3 HZNTL 9-31-1-25 (WPM)
UWI: 102.09-31-001-25W1.00

Status: Completing (COMP)
Completing: 06-Aug-2010

Lic. No.: 7285 Tundra Sinclair HZNTL 13-5-8-28 (WPM)
UWI: 100.13-05-008-28W1.00

Status: Completing (COMP)
Completing: 03-Aug-2010

Lic. No.: 7292 Waskada Unit No. 19 HZNTL B12-27-1-25 (WPM)
 UWI: 104.12-27-001-25W1.00

Revision to Report of: 05-Apr-2010
 Contractor: Precision Drilling (1987) Ltd. – **Rig # 156**

Spud Date: 06-Aug-2010
 K.B. Elevation: 477.67 m
 Surface Casing: 219.10 mm @ 150.00 m with 11.0 t
 Finished Drilling: 09-Aug-2010
 Total Depth: 1706.00 m
 Status: Preparing To Run Casing (PREP CSG)
 Preparing To Run Casing: 09-Aug-2010

Lic. No.: 7310 EOG Waskada HZNTL D8-3-2-25 (WPM)
 UWI: 106.08-03-002-25W1.00

Revision to Report of: 05-Apr-2010
 Contractor: **Horizon Drilling Incorporated. – Rig # 701**

Spud Date: 07-Aug-2010
 K.B. Elevation: 476.13 m
 Surface Casing: 219.10 mm @ 149.00 m with 11.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 09-Aug-2010

Lic. No.: 7359 Fairborne Daly Sinclair Prov. HZNTL 13-18-7-29 (WPM)
 UWI: 100.01-17-007-29W1.00

Status: Drilling Ahead (DR)
 Drilling Ahead: 09-Aug-2010

Lic. No.: 7371 Petrobakken Goodlands HZNTL 12-8-2-24 (WPM)
 UWI: 100.12-08-002-24W1.00

Status: Completing (COMP)
 Completing: 05-Aug-2010

Lic. No.: 7379 Sinclair Unit No. 3 Prov. HZNTL WIW 4-11-8-29 (WPM)
 UWI: 102.04-11-008-29W1.00

Status: Completing (COMP)
 Completing: 03-Aug-2010

Lic. No.: 7397 Molopo Pierson Prov. HZNTL 16-29-1-28 (WPM)
 UWI: 100.16-29-001-28W1.00

Finished Drilling: 02-Aug-2010
 Total Depth: 2254.00 m
 Production Casing: 139.7 mm @ 2254.00 m with 48.9 t
 Rig Released: 05-Aug-2010
 Status: Completing (COMP)
 Completing: 09-Aug-2010

Lic. No.: 7400 North Virden Scallion Unit No. 1 HZNTL A5-33-11-26 (WPM)
UWI: 103-05-33-011-26W1.00

Status: Standing (ST)
Standing: 09-Aug-2010

Standing – More Rain, still waiting on weather.

Lic. No.: 7410 Tundra Daly Sinclair Prov. HZNTL 15-24-8-29 (WPM)
UWI: 100.15-24-008-29W1.00

Status: Completing (COMP)
Completing: 06-Aug-2010

Lic. No.: 7413 Sinclair Unit No. 3 HZNTL WIW 16-1-8-29 (WPM)
UWI: 102.16-01-008-29W1.00

Status: Completing (COMP)
Completing: 09-Aug-2010

Lic. No.: 7416 Sinclair Unit No. 3 Prov. HZNTL WIW 12-2-8-29 (WPM)
UWI: 102.12-02-008-29W1.00

Status: Completing (COMP)
Completing: 08-Aug-2010

Lic. No.: 7417 Tundra Virden HZNTL 12-13-10-27 (WPM)
UWI: 100.12-13-010-27W1.00

Finished Drilling: 02-Aug-2010
Total Depth: 2138.00 m
Rig Released: 04-Aug-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 04-Aug-2010

Lic. No.: 7419 Tundra Virden HZNTL 12-34-10-27 (WPM)
UWI: 100.12-34-010-27W1.00

Revision to Report of: 21-Jun-2010
Contractor: Trinidad Drilling Ltd. – **Rig # 5**

Spud Date: 05-Aug-2010
K.B. Elevation: 480.50 m
Surface Casing: 244.50 mm @ 139.00 m with 14.0 t
Intermediate Casing: Run
Status: Drilling Ahead (DR)
Drilling Ahead: 09-Aug-2010

- Lic. No.: 7431 Penn West Waskada HZNTL 5-3-1-24 (WPM)
UWI: 100.05-03-001-24W1.00
- Spud Date: 07-Aug-2010
K.B. Elevation: 528.15 m
Surface Casing: 219.10 mm @ 250.00 m with 18.5 t
Status: Drilling Ahead (DR)
Drilling Ahead: 09-Aug-2010
- Lic. No.: 7442 Reliable East Manson 9-5-13-28 (WPM)
UWI: 100.09-05-013-28W1.00
- Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 09-Aug-2010
- Lic. No.: 7464 Penn West Waskada HZNTL 8-14-1-25 (WPM)
UWI: 100.08-14-001-25W1.00
- Finished Drilling: 04-Aug-2010
Total Depth: 2406.00 m
Production Casing: 139.7 mm @ 2406.00 m with 70 t
Rig Released: 06-Aug-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 06-Aug-2010
- Lic. No.: 7465 Tundra Elkhorn HZNTL 1-6-11-28 (WPM)
UWI: 100.04-06-011-28W1.00 – Stratigraphic Test Hole
UWI: 100.01-06-011-28W1.02 – Horizontal Section
- Revision to Report of: 19-Jul-2010
Contractor: Trinidad Drilling Ltd. – **Rig # 10**
- UWI: 100.04-06-011-28W1.00 – Stratigraphic Test Hole
- Spud Date: 03-Aug-2010
K.B. Elevation: 525.31 m
Surface Casing: 244.50 mm @ 146.00 m with 13.0 t
Finished Drilling: 06-Aug-2010
Total Depth: 885.00 m
Status: Abandoned Stratigraphic Test Hole (ABD STH)
Abd Stratigraphic Test Hole: 09-Aug-2010
- UWI: 100.01-06-011-28W1.02 – Horizontal Section
- Kick-off Date: 09-Aug-2010
Kick-off Point: 664 m
Status: Drilling Ahead (DR)
Drilling Ahead: 09-Aug-2010

Lic. No.: 7475 Sinclair Unit No. 2 HZNTL WIW 8-30-7-28 (WPM)
 UWI: 102.08-30-007-28W1.00

Rig Released: 03-Aug-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 03-Aug-2010

Lic. No.: 7476 Sinclair Unit No. 2 HZNTL WIW 12-25-7-29 (WPM)
 UWI: 102.12-25-007-29W1.00

Spud Date: 04-Aug-2010
 K.B. Elevation: 502.75 m
 Surface Casing: 244.50 mm @ 135.50 m with 12.6 t
 Intermediate Casing: 177.80 mm @ 1078.00 m with 13.4 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 09-Aug-2010

Lic. No.: 7477 Fort Calgary East Manson 3-21-13-28 (WPM)
 UWI: 100.03-21-013-28W1.00

Finished Drilling: 04-Aug-2010
 Total Depth: 717.00 m
 Production Casing: Run
 Rig Released: 05-Aug-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 05-Aug-2010

Lic. No.: 7478 Reliable South Kirkella HZNTL 5-15-11-29 (WPM)
 UWI: 100.05-15-011-29W1.00

Finished Drilling: 05-Aug-2010
 Total Depth: 1980.00 m
 Rig Released: 06-Aug-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 06-Aug-2010

Lic. No.: 7480 Tundra et al Daly Sinclair HZNTL 12-7-9-28 (WPM)
 UWI: 100.12-07-009-28W1.00

Status: Completing (COMP)
 Completing: 05-Aug-2010

Lic. No.: 7481 Molopo Pierson HZNTL 7-26-1-28 (WPM)
 UWI: 100.07-26-001-28W1.00

Finished Drilling: 03-Aug-2010
 Total Depth: 1680.00 m
 Production Casing: 139.7 mm @ 1680.00 m with 35.5 t
 Rig Released: 04-Aug-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 04-Aug-2010

Lic. No.: 7482 Sinclair Unit No. 2 HZNTL WIW 4-19-7-28 (WPM)
 UWI: 102.04-19-007-28W1.00

Spud Date: 02-Aug-2010
 K.B. Elevation: 492.47 m
 Surface Casing: 244.50 mm @ 137.00 m with 12.5 t
 Finished Drilling: 07-Aug-2010
 Total Depth: 2429.00 m
 Intermediate Casing: 177.8 mm @ 1070.50 m with 13.79 t
 Rig Released: 08-Aug-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 08-Aug-2010

Lic. No.: 7484 Sinclair Unit No. 2 HZNTL WIW A12-25-7-29 (WPM)
 UWI: 103.12-25-007-29W1.00

Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 09-Aug-2010

Lic. No.: 7487 Molopo Pierson Prov. HZNTL 5-32-1-28 (WPM)
 UWI: 100.05-32-001-28W1.00

Revision to Report of: 03-Aug-2010
 Contractor: **Precision Drilling (1987) Ltd. – Rig # 246**

Spud Date: 06-Aug-2010
 K.B. Elevation: 466.20 m
 Surface Casing: 219.10 mm @ 210.00 m with 14.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 09-Aug-2010

Lic. No.: 7493 Clampett West Lauder 12-22-5-25 (WPM)
 UWI: 100.12-22-005-25W1.00

Spud Date: 06-Aug-2010
 K.B. Elevation: 436.68 m
 Surface Casing: 177.80 mm @ 108.00 m with 6.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 09-Aug-2010

Lic. No.: 7494 White North Daly Sinclair HZNTL 5-35-7-28 (WPM)
 UWI: 100.05-35-007-28W1.00

Surface Casing: 244.50 mm @ 150.00 m with 13.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 09-Aug-2010

- Lic. No.: 7495 Fort Calgary East Manson Prov. 1-20-13-28 (WPM)
UWI: 100.01-20-013-28W1.00
- Spud Date: 06-Aug-2010
K.B. Elevation: 494.71 m
Surface Casing: 177.80 mm @ 140.00 m with 7.5 t
Finished Drilling: 09-Aug-2010
Total Depth: 718.00 m
Status: Preparing To Log (PREP LOG)
Preparing To Log: 09-Aug-2010
- Lic. No.: 7496 Penn West Waskada STH 9-27-1-24 (WPM)
UWI: 100.09-27-001-24W1.00
- Spud Date: 06-Aug-2010
K.B. Elevation: 510.86 m
Surface Casing: 244.50 mm @ 256.00 m with 23.0 t
Status: Coring (COR)
Coring: 09-Aug-2010
- Lic. No.: 7497 Tundra Magellan Daly Sinclair HZNTL 8-21-8-28 (WPM)
UWI: 100.08-21-008-28W1.00
- Spud Date: 26-Jul-2010
K.B. Elevation: 502.11 m
Surface Casing: 244.50 mm @ 139.00 m with 14.5 t
Finished Drilling: 08-Aug-2010
Total Depth: 2436.00 m
Intermediate Casing: 177.80 mm @ 1030.00 m with 12.6 t
Status: Cementing Casing (CMT CSG)
Cementing Casing: 09-Aug-2010
- Lic. No.: 7503 Molopo Pierson HZNTL 2-30-2-28 (WPM)
UWI: 102.02-30-002-28W1.00
- Revision to Report of: 03-Aug-2010
Contractor: **CanElson Drilling Inc. – Rig # 12**
- Spud Date: 07-Aug-2010
K.B. Elevation: 468.11 m
Surface Casing: 219.10 mm @ 210.00 m with 18.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 09-Aug-2010

Lic. No.: 7504 Zargon Daly Sinclair Prov. HZNTL 4-20-8-28 (WPM)
 UWI: 100.04-20-008-28W1.00

Licence Issued: 04-Aug-2010
 Licensee: Zargon Oil & Gas Ltd.
 Mineral Rights: Crown
 Contractor: Big Sky Drilling Inc. - Rig# 1
 Surf. Location: 4B-21-8-28 (WPM)
 Co-ords: 60.00 m (N) of (S) boundary of Sec. 21
 78.46 m (E) of (W) boundary of Sec. 21
 Grd Elev: 496.53 m
 Proj. TD: 2,426.00 m (Devonian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7505 Molopo Coulter HZNTL 4-33-1-27 (WPM)
 UWI: 100.04-33-001-27W1.00

Licence Issued: 05-Aug-2010
 Licensee: Molopo Energy Canada Ltd.
 Mineral Rights: Freehold
 Contractor: To Be Determined - Rig# 0
 Surf. Location: 4B-34-1-27 (WPM)
 Co-ords: 144.97 m (N) of (S) boundary of Sec. 34
 100.00 m (E) of (W) boundary of Sec. 34
 Grd Elev: 453.38 m
 Proj. TD: 2,467.00 m (Mississippian)
 Area: Coulter
 Classification: DEVELOPMENT (Confidential)
 Spud Date: 07-Aug-2010
 K.B. Elevation: 457.58 m
 Surface Casing: 219.10 mm @ 210.32 m with 18.0 t
 Status: Testing BOP's (TEST BOP)
 Testing BOP's: 09-Aug-2010

Lic. No.: 7506 EOG Coulter HZNTL 14-20-1-27 (WPM)
 UWI: 100.14-20-001-27W1.00

Licence Issued: 06-Aug-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surf. Location: 16A-19-1-27 (WPM)
 Co-ords: 210.00 m (S) of (N) boundary of Sec. 19
 124.92 m (W) of (E) boundary of Sec. 19
 Grd Elev: 455.07 m
 Proj. TD: 1,828.00 m (Triassic)
 Field: Coulter
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7507

EOG Pierson Prov. HZNTL 3-34-1-28 (WPM)
UWI: 100.03-34-001-28W1.00Licence Issued: 06-Aug-2010
Licensee: EOG Resources Canada Inc.
Mineral Rights: Crown
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surf. Location: 1D-33-1-28 (WPM)
Co-ords: 210.00 m (N) of (S) boundary of Sec. 33
94.92 m (W) of (E) boundary of Sec. 33
Grd Elev: 459.16 m
Proj. TD: 1,732.00 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (Well)
Status: Location (LOC)

Lic. No.: 7508

EOG Pierson HZNTL 2-20-2-28 (WPM)
UWI: 100.02-20-002-28W1.00Licence Issued: 06-Aug-2010
Licensee: EOG Resources Canada Inc.
Mineral Rights: Freehold
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surf. Location: 4C-21-2-28 (WPM)
Co-ords: 210.00 m (N) of (S) boundary of Sec. 21
124.92 m (E) of (W) boundary of Sec. 21
Grd Elev: 459.10 m
Proj. TD: 1,729.00 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (Well)
Status: Location (LOC)