

Innovation, Energy and Mines

Petroleum Branch
 360-1395 Ellice Ave, Winnipeg MB R3G 3P2
 T 204-945-6577 F 204-945-0586
www.manitoba.ca

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/10 – October 25/10)

<u>DRILLING ACTIVITY</u>	To Oct. 25/10	To Oct. 26/09	2009 Total
Drilling Licences Issued	500	216	297
Licences Cancelled	0	7	13
Vertical Wells Drilled	63	36	53
Horizontal Wells Drilled	355	177	207
Stratigraphic Test Holes Drilled	1	0	0
Wells Drilled - Total	419	213	260
No. of Metres Drilled	775 228	407 700	482 963
Wells Re-entered	0	3	3
Wells Being Drilled	7	6	1
No. of Active Rigs	15	4	1
Wells Licenced but Not Spudded	118	25	52
Wells Completed as Potential Oil Wells	370	211	256
Wells Abandoned Dry	12	3	7
Wells Drilled but Not Completed	3	0	0
Other Completions	34	2	0
New Wells on Production	140	122	226
<u>GEOPHYSICAL ACTIVITY</u>			
Geophysical Programs Licenced	21	11	15
Licences Cancelled	0	0	0
Kilometers Licenced	2 250	1 366	2 096
Kilometers Run	537	720	1 611
	2010	2009	
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)	
Month of August	476.33 (75.69)	456.60 (72.56)	
Month of September	460.52 (73.18)	459.29 (72.99)	
	2010	2009	
<u>OIL PRODUCTION (M3)</u>			
Month of May	144 634.1	118 999.7	
Cumulative Thru May 31	733 883.4	596 957.2	

WEEKLY WELL ACTIVITY REPORT**25 October 2010**

Lic. No.: 7128 EOG Waskada HZNTL 12-5-1-24 (WPM)
UWI: 102.12-05-001-24W1.00

Status: Completing (COMP)
Completing: 24-Oct-2010

Lic. No.: 7157 EOG Waskada HZNTL A5-5-1-24 (WPM)
UWI: 102.05-05-001-24W1.00

Status: Completing (COMP)
Completing: 23-Oct-2010

Lic. No.: 7281 Tundra et al Daly HZNTL 13-5-9-28 (WPM)
UWI: 100.13-05-009-28W1.00

Status: Completing (COMP)
Completing: 01-Jun-2010

Lic. No.: 7340 Waskada Unit No. 19 HZNTL 8-27-1-25 (WPM)
UWI: 102.08-27-001-25W1.00

Status: Completing (COMP)
Completing: 22-Oct-2010

Lic. No.: 7349 Waskada Unit No. 19 HZNTL 4-27-1-25 (WPM)
UWI: 102.04-27-001-25W1.00

Status: Completing (COMP)
Completing: 25-Oct-2010

Lic. No.: 7351 Waskada Unit No. 19 HZNTL 5-27-1-25 (WPM)
UWI: 102.05-27-001-25W1.00

Status: Completing (COMP)
Completing: 19-Oct-2010

Lic. No.: 7352 Waskada Unit No. 19 HZNTL A5-27-1-25 (WPM)
UWI: 103.05-27-001-25W1.00

Status: Completing (COMP)
Completing: 22-Oct-2010

- Lic. No.: 7385 Tundra Daly Sinclair Prov. HZNTL 8-28-8-28 (WPM)
 UWI: 100.08-28-008-28W1.00
- Rig Released: 19-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 19-Oct-2010
- Lic. No.: 7386 Tundra Daly Sinclair Prov. HZNTL 5-29-8-28 (WPM)
 UWI: 102.05-29-008-28W1.00
- Spud Date: 19-Oct-2010
 K.B. Elevation: 499.19 m
 Surface Casing: 244.50 mm @ 139.00 m with 14.0 t
 Intermediate Casing: 177.8 mm @ 1012.00 m with 13.75 t
 Finished Drilling: 24-Oct-2010
 Total Depth: 2414.00 m
 Status: Setting Liner (SETTING LINER)
 Setting Liner: 25-Oct-2010
- Lic. No.: 7399 North Virden Scallion Unit No. 1 HZNTL 2-28-11-26 (WPM)
 UWI: 102.02-28-011-26W1.00 – Leg #1
- Spud Date: 19-Oct-2010
 K.B. Elevation: 465.85 m
 Surface Casing: 244.50 mm @ 302.00 m with 22.0 t
 Intermediate Casing: 177.80 mm @ 761.00 m with 40.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 25-Oct-2010
- Lic. No.: 7411 Sinclair Unit No. 3 HZNTL WIW 1-1-8-29 (WPM)
 UWI: 102.01-01-008-29W1.00
- Revision to Report of: 21-Jun-2010
 Contractor: **Crusader Drilling Corp. – Rig # 1**
- Spud Date: 23-Oct-2010
 K.B. Elevation: 510.15 m
 Surface Casing: 244.50 mm @ 139.00 m with 14.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 25-Oct-2010
- Lic. No.: 7462 EOG Waskada HZNTL A12-28-1-25 (WPM)
 UWI: 102.12-28-001-25W1.00
- Revision to Report of: 19-Jul-2010
 Contractor: Precision Drilling (1987) Ltd. – **Rig # 156**
- Main Hole Commenced: 20-Oct-2010
 K.B. Elevation: 476.24 m
 Finished Drilling: 22-Oct-2010
 Total Depth: 1634.00 m
 Production Casing: 139.7 mm @ 1634.00 m with 40.0 t
 Rig Released: 23-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 23-Oct-2010

Lic. No.: 7463 EOG Waskada HZNTL 13-28-1-25 (WPM)
 UWI: 100.13-28-001-25W1.00

Finished Drilling: 18-Oct-2010
 Total Depth: 1656.00 m
 Production Casing: 139.7 mm @ 1656.00 m with 40.0 t
 Rig Released: 19-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 19-Oct-2010

Lic. No.: 7475 Sinclair Unit No. 2 HZNTL WIW 8-30-7-28 (WPM)
 UWI: 102.08-30-007-28W1.00

Status: Completing (COMP)
 Completing: 25-Oct-2010

Lic. No.: 7490 Molopo Coulter Prov. HZNTL 16-29-1-27 (WPM)
 UWI: 100.16-29-001-27W1.00

Status: Completing (COMP)
 Completing: 21-Oct-2010

Lic. No.: 7518 Sinclair Unit No. 2 HZNTL WIW 4-25-7-29 (WPM)
 UWI: 102.04-25-007-29W1.00

Status: Completing (COMP)
 Completing: 22-Oct-2010

Lic. No.: 7521 Molopo Pierson Prov. HZNTL 13-6-2-29 (WPM)
 UWI: 100.13-06-002-29W1.00

Finished Drilling: 19-Oct-2010
 Total Depth: 1769.33 m
 Production Casing: 139.7 mm @ 1769.00 m with 40.0 t
 Rig Released: 20-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 20-Oct-2010

Lic. No.: 7526 Tundra Daly Sinclair HZNTL 16-6-9-28 (WPM)
 UWI: 100.16-06-009-28W1.00

Status: Completing (COMP)
 Completing: 21-Oct-2010

Lic. No.: 7556 Waskada Unit No. 13 HZNTL A5-1-2-26 (WPM)
 UWI: 103.05-01-002-26W1.00

Status: Completing (COMP)
 Completing: 25-Oct-2010

Lic. No.: 7557 Waskada Unit No. 13 HZNTL B5-1-2-26 (WPM)
 UWI: 104.05-01-002-26W1.00

Status: Completing (COMP)
 Completing: 25-Oct-2010

Lic. No.: 7558 Waskada Unit No. 13 HZNTL C5-1-2-26 (WPM)
 UWI: 105.05-01-002-26W1.00

Status: Completing (COMP)
 Completing: 25-Oct-2010

Lic. No.: 7559 Waskada Unit No. 13 HZNTL 9-1-2-26 (WPM)
 UWI: 102.09-01-002-26W1.00

Finished Drilling: 18-Oct-2010
 Total Depth: 1689.00 m
 Production Casing: 139.7 mm @ 1689.00 m with 44.5 t
 Rig Released: 19-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 19-Oct-2010

Lic. No.: 7560 Waskada Unit No. 13 HZNTL 12-1-2-26 (WPM)
 UWI: 102.12-01-002-26W1.00

Spud Date: 20-Oct-2010
 K.B. Elevation: 471.94 m
 Surface Casing: 219.10 mm @ 256.00 m with 18.5 t
 Finished Drilling: 23-Oct-2010
 Total Depth: 1663.00 m
 Production Casing: 139.7 mm @ 1663.00m with 44.0 t
 Rig Released: 24-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 24-Oct-2010

Lic. No.: 7567 EOG Waskada HZNTL 8-16-1-25 (WPM)
 UWI: 102.08-16-001-25W1.00

Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 25-Oct-2010

Lic. No.: 7575 Waskada Unit No. 18 HZNTL A12-21-1-25 (WPM)
 UWI: 103.12-21-001-25W1.00

Main Hole Commenced: 22-Oct-2010
 K.B. Elevation: 474.90 m
 Status: Drilling Ahead (DR)
 Drilling Ahead: 25-Oct-2010

- Lic. No.: 7576 EOG Waskada HZNTL 13-21-1-25 (WPM)
 UWI: 102.13-21-001-25W1.00
- Intermediate Casing: 139.7 mm @ 1256.00 m with 34.0 t
 Rig Released: 22-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Oct-2010
- Lic. No.: 7584 ARC Waskada HZNTL A4-9-1-24 (WPM)
 UWI: 103.04-09-001-24W1.00
- Revision to Report of: 13-Sep-2010
 Contractor: **Reg Dog Drilling Inc. – Rig # 3**
- Spud Date: 18-Oct-2010
 K.B. Elevation: 512.08 m
 Surface Casing: 219.10 mm @ 161.50 m with 12.0 t
 Finished Drilling: 22-Oct-2010
 Total Depth: 1678.00 m
 Production Casing: 139.7 mm @ 1678.00 m with 46.5 t
 Rig Released: 23-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 23-Oct-2010
- Lic. No.: 7585 ARC Waskada HZNTL B4-9-1-24 (WPM)
 UWI: 104.04-09-001-24W1.00
- Revision to Report of: 13-Sep-2010
 Contractor: **Reg Dog Drilling Inc. – Rig # 3**
- Spud Date: 23-Oct-2010
 K.B. Elevation: 512.10 m
 Surface Casing: 219.10 mm @ 168.00 m with 12.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 25-Oct-2010
- Lic. No.: 7590 Molopo Pierson HZNTL 3-26-2-29 (WPM)
 UWI: 100.03-26-002-29W1.00
- Status: Completing (COMP)
 Completing: 25-Oct-2010
- Lic. No.: 7594 618555 SK Pierson HZNTL 1-32-1-28 (WPM)
 UWI: 100.01-32-001-28W1.00
- Status: Completing (COMP)
 Completing: 21-Oct-2010

Lic. No.: 7598 Tundra Birdtail HZNTL 2-30-16-27 (WPM)
 UWI: 100.02-30-016-27W1.00

Intermediate Casing: 177.8 mm @ 651.0 m with 8.4 t
 Finished Drilling: 19-Oct-2010
 Total Depth: 1235.00 m
 Rig Released: 20-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 20-Oct-2010

Lic. No.: 7599 Tundra Birdtail HZNTL 3-31-16-27 (WPM)
 100.03-31-016-27W1.01

100.03-31-016-27W1.01 - Leg #1

Please note revised UWI

Spud Date: 21-Oct-2010
 K.B. Elevation: 487.35 m
 Surface Casing: 244.5 mm @ 138.00 m with 13.5 t
 Production/Intermediate Casing: Run
 Finished Drilling: 24-Oct-2010
 Total Depth: 1227.00 m
 Rig Released: 25-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 14-Sep-2010

Lic. No.: 7600 Molopo Pierson Prov. HZNTL 9-34-2-29 (WPM)
 UWI: 100.09-34-002-29W1.00

Revision to Report of: 20-Sep-2010
 Contractor: **Eagle Drilling Services Ltd. – Rig # 5**

Spud Date: 20-Oct-2010
 K.B. Elevation: 474.26 m
 Surface Casing: 219.10 mm @ 208.00 m with 18.0 t
 Production Casing: Run
 Finished Drilling: 24-Oct-2010
 Total Depth: 1564.00 m
 Rig Released: 25-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 25-Oct-2010

Lic. No.: 7612 Molopo Pierson Prov. HZNTL 4-28-2-29 (WPM)
 UWI: 100.04-28-002-29W1.00

Intermediate/Production Casing: Run
 Finished Drilling: 21-Oct-2010
 Total Depth: 2289.00 m
 Rig Released: 22-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Oct-2010

- Lic. No.: 7621 Penn West Waskada HZNTL 7-2-1-24 (WPM)
UWI: 100.07-02-001-24W1.00
- Surface Casing: 219.10 mm @ 252.00 m with 17.0 t
Finished Drilling: 21-Oct-2010
Total Depth: 1746.00 m
Production Casing: 139.7 mm @ 1746.00 m with 51.0 t
Rig Released: 22-Oct-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 22-Oct-2010
- Lic. No.: 7623 Penn West Waskada HZNTL 4-12-1-24 (WPM)
UWI: 102.04-12-001-24W1.00
- Spud Date: 23-Oct-2010
K.B. Elevation: 555.20 m
Surface Casing: 219.10 mm @ 258.00 m with 17.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 25-Oct-2010
- Lic. No.: 7624 Tundra Daly Sinclair HZNTL 8-31-7-28 (WPM)
UWI: 100.08-31-007-28W1.00
- Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 25-Oct-2010
- Lic. No.: 7628 Surge Waskada Prov. HZNTL 14-2-2-26 (WPM)
UWI: 100.14-02-002-26W1.00
- Revision to Report of: 27-Sep-2010
Contractor: Advance Drilling – **Rig # 9**
- Spud Date: 18-Oct-2010
K.B. Elevation: 468.24 m
Surface Casing: 219.10 mm @ 172.00 m with 11.0 t
Finished Drilling: 21-Oct-2010
Total Depth: 1670.00 m
Production Casing: 139.7 mm @ 1670.00 m with 36.0 t
Rig Released: 22-Oct-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 22-Oct-2010
- Lic. No.: 7629 Surge Waskada Prov. HZNTL A14-2-2-26 (WPM)
UWI: 102.14-02-002-26W1.00
- Revision to Report of: 27-Sep-2010
Contractor: Advance Drilling – **Rig # 9**
- Spud Date: 23-Oct-2010
K.B. Elevation: 468.26 m
Surface Casing: 219.10 mm @ 171.00 m with 11.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 25-Oct-2010

Lic. No.: 7633 Reliable Elkhorn HZNTL 15-8-11-28 (WPM)
 UWI: 100.15-08-011-28W1.00

Finished Drilling: 24-Oct-2010
 Total Depth: 2410.00 m
 Status: Setting Liner (SETTING LINER)
 Setting Liner: 25-Oct-2010

Lic. No.: 7634 Penn West Waskada HZNTL 2-4-2-25 (WPM)
 UWI: 100.02-04-002-25W1.00

Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 25-Oct-2010

Lic. No.: 7638 Relative Daly Sinclair HZNTL 8-31-7-29 (WPM)
 UWI: 100.08-31-007-29W1.03 - Leg #3

UWI: 100.08-31-007-29W1.03 - Leg #3

Intermediate Casing: 177.8 mm @ 1162.00 m with 15.29 t
 Finished Drilling: 24-Oct-2010
 Total Depth: 1750.00 m
 Status: Running Bridge Plug (BP)
 Running Bridge Plug: 25-Oct-2010

Lic. No.: 7639 Waskada Unit No. 6 HZNTL 4-18-1-25 (WPM)
 UWI: 102.04-18-001-25W1.00

Finished Drilling: 18-Oct-2010
 Total Depth: 1555.00 m
 Production Casing: 139.7 mm @ 1554.00 m with 32.3 t
 Rig Released: 19-Oct-2010
 Status: Completing (COMP)
 Completing: 25-Oct-2010

Lic. No.: 7640 Red Beds Waskada HZNTL 5-19-1-25 (WPM)
 UWI: 102.05-19-001-25W1.00

Spud Date: 20-Oct-2010
 K.B. Elevation: 471.95 m
 Surface Casing: 219.10 mm @ 139.50 m with 10.0 t
 Finished Drilling: 22-Oct-2010
 Total Depth: 1566.00 m
 Production Casing: 139.7 mm @ 1565.00 m with 32.26 t
 Rig Released: 23-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 23-Oct-2010

Lic. No.: 7641 Red Beds Waskada HZNTL 13-19-1-25 (WPM)
 UWI: 103.13-19-001-25W1.00

Status: Completing (COMP)
 Completing: 21-Oct-2010

Lic. No.: 7643 Sinclair Unit No. 5 Prov. HZNTL WIW A9-6-8-28 (WPM)
 UWI: 103.09-06-008-28W1.00

Finished Drilling: 20-Oct-2010
 Total Depth: 2471.00 m
 Rig Released: 21-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 21-Oct-2010

Lic. No.: 7646 618555 SK Pierson HZNTL 11-34-1-28 (WPM)
 UWI: 100.11-34-001-28W1.00

Status: Completing (COMP)
 Completing: 22-Oct-2010

Lic. No.: 7647 Waskada Unit No. 6 HZNTL 7-12-1-26 (WPM)
 UWI: 102.07-12-001-26W1.00

Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 25-Oct-2010

Lic. No.: 7648 Tundra Birdtail Prov. HZNTL 16-4-16-27 (WPM)
 UWI: 100.16-04-016-27W1.00

Status: Completing (COMP)
 Completing: 20-Oct-2010

Lic. No.: 7650 Tundra St. Lazare Prov. HZNTL 9-36-16-28 (WPM)
 UWI: 100.09-36-016-28W1.00

Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 25-Oct-2010

Lic. No.: 7651 Penn West Waskada HZNTL 3-12-2-26 (WPM)
 UWI: 100.03-12-002-26W1.00

Finished Drilling: 20-Oct-2010
 Total Depth: 1658.00 m
 Production Casing: 139.7 mm @ 1657.00 m with 42.54 t
 Rig Released: 22-Oct-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 22-Oct-2010

- Lic. No.: 7652 Penn West Waskada HZNTL 8-12-2-26 (WPM)
UWI: 100.08-12-002-26W1.00
- Revision to Report of: 12-Oct-2010
Contractor: Big Sky Drilling / Ensign – **Rig # 89**
- Spud Date: 22-Oct-2010
K.B. Elevation: 474.08 m
Surface Casing: 219.10 mm @ 251.00 m with 18.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 25-Oct-2010
- Lic. No.: 7656 Molopo Pierson Prov. HZNTL 3-2-2-28 (WPM)
UWI: 100.03-02-002-28W1.00
- Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 25-Oct-2010
- Lic. No.: 7664 Reliable South Kirkella Prov. HZNTL 5-34-11-29 (WPM)
UWI: 100.05-34-011-29W1.00
- Licence Issued: 19-Oct-2010
Licensee: Reliable Energy Ltd.
Mineral Rights: Portional
Contractor: Horizon Drilling Incorporated - Rig# 701
Surf. Location: 4D-27-11-29 (WPM)
Co-ords: 375.00 m (N) of (S) boundary of Sec. 27
300.00 m (E) of (W) boundary of Sec. 27
Grd Elev: 529.36 m
Proj. TD: 2,512.00 m (Devonian)
Area: South Kirkella
Classification: DEVELOPMENT (Confidential)
Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 25-Oct-2010
- Please note MIRT is a pre-set rig (Komat Drilling Ltd. Rig #3)**
- Lic. No.: 7665 Reliable South Kirkella Prov. HZNTL 6-34-11-29 (WPM)
UWI: 100.06-34-011-29W1.00
- Licence Issued: 19-Oct-2010
Licensee: Reliable Energy Ltd.
Mineral Rights: Portional
Contractor: Horizon Drilling Incorporated - Rig# 701
Surf. Location: 3C-27-11-29 (WPM)
Co-ords: 400.00 m (N) of (S) boundary of Sec. 27
500.00 m (E) of (W) boundary of Sec. 27
Grd Elev: 527.17 m
Proj. TD: 2,484.00 m (Devonian)
Area: South Kirkella
Classification: DEVELOPMENT (Confidential)
Spud Date: 23-Oct-2010
Surface Casing: 244.50 mm @ 137.00 m with 13.0 t
Surface Csg Rig Released: 24-Oct-2010
Status: Surface Casing Set (SCS)
Surface Casing Set: 24-Oct-2010

- Lic. No.: 7666 Ka-Bert Virden A15-26-9-26 (WPM)
 UWI: 102.15-26-009-26W1.00
- Licence Issued: 20-Oct-2010
 Licensee: Ka-Bert Resources Limited
 Mineral Rights: Freehold
 Contractor: Terroco Drilling Ltd. - Rig# 9
 Co-ords: 366.23 m (S) of (N) boundary of Sec. 26
 664.47 m (W) of (E) boundary of Sec. 26
 Grd Elev: 436.19 m
 Proj. TD: 730.00 m (Devonian)
 Field: Virden
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7667 Molopo Pierson Prov. HZNTL 14-22-1-28 (WPM)
 UWI: 100.14-22-001-28W1.00
- Licence Issued: 21-Oct-2010
 Licensee: Molopo Energy Canada Ltd.
 Mineral Rights: Crown
 Contractor: Eagle Drilling Services Ltd. - Rig# 5
 Surf. Location: 16A-21-1-28 (WPM)
 Co-ords: 276.24 m (S) of (N) boundary of Sec. 21
 60.00 m (W) of (E) boundary of Sec. 21
 Grd Elev: 458.03 m
 Proj. TD: 1,688.00 m (Triassic)
 Area: Pierson
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7668 Tundra Daly Sinclair HZNTL 8-26-8-29 (WPM)
 UWI: 100.08-26-008-29W1.00
- Licence Issued: 21-Oct-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Freehold
 Contractor: Trinidad Drilling Ltd. - Rig# 10
 Surf. Location: 5B-26-8-29 (WPM)
 Co-ords: 577.46 m (N) of (S) boundary of Sec. 26
 60.00 m (E) of (W) boundary of Sec. 26
 Grd Elev: 518.19 m
 Proj. TD: 2,283.70 m (Devonian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

- Lic. No.: 7669 Tundra Daly Sinclair Prov. HZNTL 16-26-8-29 (WPM)
 UWI: 102.16-26-008-29W1.00
- Licence Issued: 21-Oct-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Portional
 Contractor: Trinidad Drilling Ltd. - Rig# 5
 Surf. Location: 13D-26-8-29 (WPM)
 Co-ords: 152.12 m (S) of (N) boundary of Sec. 26
 60.00 m (E) of (W) boundary of Sec. 26
 Grd Elev: 517.14 m
 Proj. TD: 2,276.00 m (Devonian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7670 Tundra et al Daly Sinclair Prov. HZNTL 12-4-9-29 (WPM)
 UWI: 102.12-04-009-29W1.00
- Licence Issued: 21-Oct-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Crown
 Contractor: Crusader Drilling Corp. - Rig# 1
 Surf. Location: 12B-3-9-29 (WPM)
 Co-ords: 626.18 m (S) of (N) boundary of Sec. 3
 60.00 m (E) of (W) boundary of Sec. 3
 Grd Elev: 528.15 m
 Proj. TD: 2,471.90 m (Devonian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7671 Tundra Daly Sinclair HZNTL 8-5-9-29 (WPM)
 UWI: 100.08-05-009-29W1.00
- Licence Issued: 22-Oct-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Freehold
 Contractor: Trinidad Drilling Ltd. - Rig# 5
 Surf. Location: 5C-5-9-29 (WPM)
 Co-ords: 623.94 m (N) of (S) boundary of Sec. 5
 60.00 m (E) of (W) boundary of Sec. 5
 Grd Elev: 540.81 m
 Proj. TD: 2,339.30 m (Devonian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7672 Tundra Daly Sinclair HZNTL 16-5-9-29 (WPM)
 UWI: 100.16-05-009-29W1.00

Licence Issued: 22-Oct-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Freehold
 Contractor: Trinidad Drilling Ltd. - Rig# 5
 Surf. Location: 13B-5-9-29 (WPM)
 Co-ords: 218.47 m (S) of (N) boundary of Sec. 5
 60.00 m (E) of (W) boundary of Sec. 5
 Grd Elev: 539.57 m
 Proj. TD: 2,336.60 m (Devonian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7673 Tundra Sinclair Prov. HZNTL 13-6-9-29 (WPM)
 UWI: 100.13-06-009-29W1.00

Licence Issued: 22-Oct-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Crown
 Contractor: Trinidad Drilling Ltd. - Rig# 5
 Surf. Location: 13C-5-9-29 (WPM)
 Co-ords: 188.47 m (S) of (N) boundary of Sec. 5
 60.00 m (E) of (W) boundary of Sec. 5
 Grd Elev: 640.03 m
 Proj. TD: 2,476.60 m (Devonian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7674 EOG Waskada Prov. HZNTL 4-28-1-25 (WPM)
 UWI: 102.04-28-001-25W1.00

Licence Issued: 25-Oct-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Crown
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surf. Location: 2B-28-1-25 (WPM)
 Co-ords: 94.92 m (N) of (S) boundary of Sec. 28
 663.80 m (W) of (E) boundary of Sec. 28
 Grd Elev: 469.92 m
 Proj. TD: 1,650.00 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7675 EOG Waskada Prov. HZNTL A4-28-1-25 (WPM)
UWI: 103.04-28-001-25W1.00

Licence Issued: 25-Oct-2010
Licensee: EOG Resources Canada Inc.
Mineral Rights: Crown
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surf. Location: 2B-28-1-25 (WPM)
Co-ords: 388.62 m (N) of (S) boundary of Sec. 28
 664.04 m (W) of (E) boundary of Sec. 28
Grd Elev: 470.83 m
Proj. TD: 1,650.00 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (Well)
Status: Location (LOC)

Lic. No.: 7676 EOG Waskada Prov. HZNTL B4-28-1-25 (WPM)
UWI: 104.04-28-001-25W1.00

Licence Issued: 25-Oct-2010
Licensee: EOG Resources Canada Inc.
Mineral Rights: Crown
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surf. Location: 2C-28-1-25 (WPM)
Co-ords: 109.91 m (N) of (S) boundary of Sec. 28
 663.78 m (W) of (E) boundary of Sec. 28
Grd Elev: 469.86 m
Proj. TD: 1,650.00 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (Well)
Status: Location (LOC)