

Innovation, Energy and Mines

Petroleum Branch
 360-1395 Ellice Ave, Winnipeg MB R3G 3P2
 T 204-945-6577 F 204-945-0586
www.manitoba.ca

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/10 – November 15/10)

<u>DRILLING ACTIVITY</u>	To Nov. 15/10	To Nov. 16/09	2009 Total
Drilling Licences Issued	534	231	297
Licences Cancelled	0	8	13
Vertical Wells Drilled	67	40	53
Horizontal Wells Drilled	384	186	207
Stratigraphic Test Holes Drilled	1	0	0
Wells Drilled - Total	452	226	260
No. of Metres Drilled	835 763	432 009	482 963
Wells Re-entered	0	3	3
Wells Being Drilled	10	5	1
No. of Active Rigs	12	5	1
Wells Licenced but Not Spudded	127	25	52
Wells Completed as Potential Oil Wells	402	225	256
Wells Abandoned Dry	12	4	7
Wells Drilled but Not Completed	2	0	0
Other Completions	36	0	0
New Wells on Production	177	151	226
<u>GEOPHYSICAL ACTIVITY</u>			
Geophysical Programs Licenced	23	15	15
Licences Cancelled	0	0	0
Kilometers Licenced	2 188	2 539	2 096
Kilometers Run	697	837	1 611
	2010	2009	
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)	
Month of September	460.52 (73.18)	459.29 (72.99)	
Month of October	449.85 (71.49)	479.10 (76.13)	
	2010	2009	
<u>OIL PRODUCTION (M3)</u>			
Month of June	135 634.5	112 264.2	
Cumulative Thru June 30	872 371.7	707 413.0	

WEEKLY WELL ACTIVITY REPORT**15 November 2010**

Lic. No.: 7334 EOG Waskada HZNTL B7-17-1-25 (WPM)
UWI: 103.07-17-001-25W1.00

Spud Date: 13-Nov-2010
Surface Casing: 219.10 mm @ 150.20 m with 10.0 t
Surface Csg Rig Released: 13-Nov-2010
Status: Surface Casing Set (SCS)
Surface Casing Set: 13-Nov-2010

Lic. No.: 7335 EOG Waskada HZNTL 10-17-1-25 (WPM)
UWI: 102.10-17-001-25W1.00

Spud Date: 14-Nov-2010
Surface Casing: 219.10 mm @ 150.80 m with 10.0 t
Surface Csg Rig Released: 13-Nov-2010
Status: Surface Casing Set (SCS)
Surface Casing Set: 14-Nov-2010

Lic. No.: 7337 EOG Waskada HZNTL B10-17-1-25 (WPM)
UWI: 104.10-17-001-25W1.00

Spud Date: 10-Nov-2010
Surface Casing: 219.10 mm @ 149.70 m with 10.0 t
Surface Csg Rig Released: 11-Nov-2010
Status: Surface Casing Set (SCS)
Surface Casing Set: 11-Nov-2010

Lic. No.: 7338 EOG Waskada HZNTL A15-17-1-25 (WPM)
UWI: 103.15-17-001-25W1.00

Spud Date: 11-Nov-2010
Surface Casing: 219.10 mm @ 149.60 m with 10.0 t
Surface Csg Rig Released: 11-Nov-2010
Status: Surface Casing Set (SCS)
Surface Casing Set: 11-Nov-2010

Lic. No.: 7339 EOG Waskada HZNTL B15-17-1-25 (WPM)
UWI: 104.15-17-001-25W1.00

Spud Date: 12-Nov-2010
Surface Casing: 219.10 mm @ 150.10 m with 10.0 t
Surface Csg Rig Released: 12-Nov-2010
Status: Surface Casing Set (SCS)
Surface Casing Set: 12-Nov-2010

Lic. No.: 7415 Sinclair Unit No. 3 Prov. HZNTL WIW A5-2-8-29 (WPM)
 UWI: 103.05-02-008-29W1.00

Intermediate Casing: 177.8 mm @ 1071.00 m with 13.67 t
 Finished Drilling: 10-Nov-2010
 Total Depth: 2515.00 m
 Rig Released: 12-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 12-Nov-2010

Lic. No.: 7444 Waskada Unit No. 18 HZNTL A4-21-1-25 (WPM)
 UWI: 103.04-21-001-25W1.00

Status: Completing (COMP)
 Completing: 10-Nov-2010

Lic. No.: 7460 EOG Waskada Prov. HZNTL B5-28-1-25 (WPM)
 UWI: 104.05-28-001-25W1.00

Spud Date: 14-Nov-2010
 Surface Casing: 219.10 mm @ 150.80 m with 10.0 t
 Surface Csg Rig Released: 15-Nov-2010
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 15-Nov-2010

Lic. No.: 7499 Tundra Daly Sinclair HZNTL 16-10-8-28 (WPM)
 UWI: 100.16-10-008-28W1.00

Intermediate Casing: 177.8 mm @ 1010.00 m with 13.16 t
 Finished Drilling: 11-Nov-2010
 Total Depth: 2255.00 m
 Rig Released: 12-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 12-Nov-2010

Lic. No.: 7519 Molopo Pierson HZNTL A9-13-2-29 (WPM)
 UWI: 102.09-13-002-29W1.00

Status: Completing (COMP)
 Completing: 10-Nov-2010

Lic. No.: 7544 Tundra East Manson Prov. HZNTL 2-18-13-28 (WPM)
 UWI: 100.02-18-013-28W1.00

Status: Completing (COMP)
 Completing: 09-Nov-2010

Lic. No.: 7555 Waskada Unit No. 13 HZNTL 5-1-2-26 (WPM)
 UWI: 102.05-01-002-26W1.00

Status: Completing (COMP)
 Completing: 14-Nov-2010

Lic. No.: 7561 Waskada Unit No. 13 HZNTL 13-1-2-26 (WPM)
 UWI: 102.13-01-002-26W1.00

Finished Drilling: 10-Nov-2010
 Total Depth: 2008.00 m
 Production Casing: 139.7 mm @ 2008.00 m with 50.6 t
 Rig Released: 12-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 12-Nov-2010

Lic. No.: 7570 Waskada Unit No. 18 Prov. HZNTL 14-16-1-25 (WPM)
 UWI: 102.14-16-001-25W1.00

Spud Date: 09-Nov-2010
 Surface Casing: 219.10 mm @ 150.10 m with 9.5 t
 Surface Csg Rig Released: 10-Nov-2010
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 10-Nov-2010

Lic. No.: 7575 Waskada Unit No. 18 HZNTL A12-21-1-25 (WPM)
 UWI: 103.12-21-001-25W1.00

Status: Completing (COMP)
 Completing: 09-Nov-2010

Lic. No.: 7576 EOG Waskada HZNTL 13-21-1-25 (WPM)

Revisions to Report of: 18-Oct-2010

UWI: 102.13-21-001-25W1.00 - Leg #1

Revision to Report of: 18-Oct-2010
 Status: Junked and Abandoned (ABD J)
 Junked and Abandoned: 14-Oct-2010

UWI: 102.13-21-001-25W1.02 – Leg #2

(Please note new UWI)

Kick-Off Date: 16-Oct-2010
 Kick-Off Point: 1280.25 m
 Finished Drilling: 17-Oct-2010
 Total Depth: 1737.00 m

Lic. No.: 7578 Molopo Coulter HZNTL 10-19-1-27 (WPM)
 UWI: 100.10-19-001-27W1.00

Status: Completing (COMP)
 Completing: 12-Nov-2010

Lic. No.: 7584 ARC Waskada HZNTL A4-9-1-24 (WPM)
 UWI: 103.04-09-001-24W1.00

Status: Completing (COMP)
 Completing: 09-Nov-2010

Lic. No.: 7586 ARC Waskada HZNTL 5-9-1-24 (WPM)
 UWI: 102.05-09-001-24W1.00

Status: Completing (COMP)
 Completing: 10-Nov-2010

Lic. No.: 7588 ARC Waskada HZNTL 11-10-1-24 (WPM)
 UWI: 102.11-10-001-24W1.00

Revision to Report of: 13-Sep-2010
 Contractor: **Red Dog Drilling Inc. – Rig # 3**

Spud Date: 11-Nov-2010
 K.B. Elevation: 519.46 m
 Surface Casing: 219.10 mm @ 161.00 m with 12.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 15-Nov-2010

Lic. No.: 7589 Goodlands Unit No. 1 HZNTL 1-15-1-24 (WPM)
 UWI: 100.01-15-001-24W1.00

Finished Drilling: 08-Nov-2010
 Total Depth: 1735.00 m
 Production Casing: 139.7 mm @ 1735.00 m with 49.0 t
 Rig Released: 09-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 09-Nov-2010

Lic. No.: 7609 CNRL Pierson HZNTL 15-23-2-29 (WPM)
 UWI: 100.15-23-002-29W1.00

Revision to Report of: 20-Sep-2010
 Contractor: Precision Drilling (1987) Ltd. – **Rig # 195**

Spud Date: 14-Nov-2010
 K.B. Elevation: 470.17 m
 Surface Casing: 244.50 mm @ 165.00 m with 16.0 t
 Status: Waiting On Cement (WOC)
 Waiting On Cement: 15-Nov-2010

Lic. No.: 7623 Penn West Waskada HZNTL 4-12-1-24 (WPM)
 UWI: 102.04-12-001-24W1.00

Status: Completing (COMP)
 Completing: 14-Nov-2010

Lic. No.: 7627 Tundra Daly Sinclair HZNTL 9-3-9-29 (WPM)
 UWI: 100.09-03-009-29W1.00

Spud Date: 14-Nov-2010
 K.B. Elevation: 532.76 m
 Surface Casing: 244.50 mm @ 137.00 m with 14.0 t
 Status: Cementing Casing (CMT CSG)
 Cementing Casing: 15-Nov-2010

Lic. No.: 7628 Surge Waskada Prov. HZNTL 14-2-2-26 (WPM)
 UWI: 100.14-02-002-26W1.00

Status: Completing (COMP)
 Completing: 14-Nov-2010

Lic. No.: 7629 Surge Waskada Prov. HZNTL A14-2-2-26 (WPM)
 UWI: 102.14-02-002-26W1.00

Status: Completing (COMP)
 Completing: 12-Nov-2010

Lic. No.: 7632 Waskada Unit No. 15 HZNTL 4-4-2-26 (WPM)
 UWI: 102.04-04-002-26W1.00

Finished Drilling: 08-Nov-2010
 Total Depth: 1705.00 m
 Production Casing: 139.7 mm @ 1705.00 m with 38.0 t
 Rig Released: 10-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 10-Nov-2010

Lic. No.: 7636 Penn West Waskada HZNTL B2-4-2-25 (WPM)
 UWI: 103.02-04-002-25W1.00

Spud Date: 09-Nov-2010
 K.B. Elevation: 477.38 m
 Surface Casing: 219.10 mm @ 256.00 m with 18.5 t
 Finished Drilling: 12-Nov-2010
 Total Depth: 1689.00 m
 Production Casing: 139.7 mm @ 1688.5 m with 44.5 t
 Rig Released: 13-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 13-Nov-2010

Lic. No.: 7637 Penn West Waskada HZNTL 7-4-2-25 (WPM)
 UWI: 102.07-04-002-25W1.00

Production Casing: 139.7 mm @ 1642.0 m with 42.54 t
 Rig Released: 08-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 08-Nov-2010

Lic. No.: 7650 Tundra St. Lazare Prov. HZNTL 9-36-16-28 (WPM)
UWI: 100.09-36-016-28W1.00

Status: Completing (COMP)
Completing: 14-Nov-2010

Lic. No.: 7651 Penn West Waskada HZNTL 3-12-2-26 (WPM)
UWI: 100.03-12-002-26W1.00

Status: Completing (COMP)
Completing: 12-Nov-2010

Lic. No.: 7654 Penn West Waskada HZNTL 12-33-1-25 (WPM)
UWI: 102.12-33-001-25W1.00 – Leg #1

Spud Date: 08-Nov-2010
K.B. Elevation: 478.13 m
Surface Casing: 219.10 mm @ 253.00 m with 18.0 t
Finished Drilling: 12-Nov-2010
Total Depth: 1754.00 m
Status: Junked and abandoned (ABD J)
Junked and abandoned: 13-Nov-2010

UWI: 102.12-33-001-25W1.02 – Leg #2

Please note new UWI

Kick-Off Date: 14-Nov-2010
Kick-Off Point: 1404.00 m
Status: Drilling Ahead (DR)
Drilling Ahead: 15-Nov-2010

Lic. No.: 7657 Virde Roselea Unit No. 1 HZNTL 8-20-10-25 (WPM)
UWI: 102.08-20-010-25W1.00 – Leg #1

Spud Date: 09-Nov-2010
K.B. Elevation: 377.70 m
Surface Casing: 244.50 mm @ 309.00 m with 25.5 t
Intermediate Casing: 177.8 mm @ 664.0 m with 18.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 15-Nov-2010

Lic. No.: 7658 Waskada Unit No. 2 HZNTL 4-27-1-26 (WPM)
UWI: 102.04-27-001-26W1.00

Spud Date: 14-Nov-2010
K.B. Elevation: 467.02 m
Status: Running Casing (CSG)
Running Casing: 15-Nov-2010

- Lic. No.: 7661 Tundra Daly Sinclair HZNTL 1-22-8-28 (WPM)
UWI: 100.01-22-008-28W1.00
- Revision to Report of: 18-Oct-2010
Contractor: **Trinidad Drilling Ltd. – Rig # 9**
- Spud Date: 13-Nov-2010
K.B. Elevation: 497.87 m
Surface Casing: 244.50 mm @ 138.50 m with 12.5 t
Status: Drilling Ahead (DR)
Drilling Ahead: 15-Nov-2010
- Lic. No.: 7663 Tundra Daly Sinclair Prov. HZNTL 14-2-8-28 (WPM)
UWI: 100.14-02-008-28W1.00
- Revision to Report of: 18-Oct-2010
Contractor: **Trinidad Drilling Ltd. – Rig # 14**
- Spud Date: 11-Nov-2010
K.B. Elevation: 493.28 m
Surface Casing: 244.50 mm @ 137.50 m with 12.6 t
Intermediate Casing: 177.80 mm @ 1025.00 m with 13.6 t
Status: Drilling Ahead (DR)
Drilling Ahead: 15-Nov-2010
- Lic. No.: 7664 Reliable South Kirkella Prov. HZNTL 5-34-11-29 (WPM)
UWI: 100.05-34-011-29W1.00
- Intermediate Casing: 177.8 mm @ 984.25 m with 20.8 t
Finished Drilling: 13-Nov-2010
Total Depth: 2505.00 m
Status: Setting Liner (SETTING LINER)
Setting Liner: 15-Nov-2010
- Lic. No.: 7668 Tundra Daly Sinclair HZNTL 8-26-8-29 (WPM)
UWI: 100.08-26-008-29W1.00
- Intermediate Casing: 177.8 mm @ 1052.00 m with 13.1 t
Finished Drilling: 12-Nov-2010
Total Depth: 2272.00 m
Rig Released: 12-Nov-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 12-Nov-2010
- Lic. No.: 7671 Tundra Daly Sinclair HZNTL 8-5-9-29 (WPM)
UWI: 100.08-05-009-29W1.00
- Intermediate Casing: 177.8 mm @ 1069.00 m with 13.15 t
Finished Drilling: 08-Nov-2010
Total Depth: 2343.00 m
Rig Released: 09-Nov-2010
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 09-Nov-2010

- Lic. No.: 7672 Tundra Daly Sinclair HZNTL 16-5-9-29 (WPM)
 UWI: 100.16-05-009-29W1.00
- Revision to Report of: 25-Oct-2010
 Contractor: **Crusader Drilling Corp. – Rig # 1**
- Spud Date: 13-Nov-2010
 K.B. Elevation: 544.62 m
 Surface Casing: 244.50 mm @ 138.50 m with 14.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 15-Nov-2010
- Lic. No.: 7677 South Pierson Unit No. 1 HZNTL 15-8-2-29 (WPM)
 UWI: 102.15-08-002-29W1.00
- Finished Drilling: 13-Nov-2010
 Total Depth: 1731.00 m
 Production Casing: 139.7 mm @ 1730.00 m with 35.0 t
 Rig Released: 14-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 14-Nov-2010
- Lic. No.: 7681 WestMan Pierson Prov. HZNTL A7C-11-2-29 (WPM)
 UWI: 102.07-11-002-29W1.00
- Spud Date: 10-Nov-2010
 K.B. Elevation: 468.60 m
 Surface Casing: 219.10 mm @ 131.00 m with 8.5 t
 Finished Drilling: 14-Nov-2010
 Total Depth: 1698.00 m
 Status: Running Casing (CSG)
 Running Casing: 15-Nov-2010
- Lic. No.: 7682 Fort Calgary East Manson 2-21-13-28 (WPM)
 UWI: 100.02-21-013-28W1.00
- Finished Drilling: 08-Nov-2010
 Total Depth: 721.00 m
 Production Casing: Run
 Rig Released: 09-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 09-Nov-2010
- Lic. No.: 7685 Waskada Unit No. 6 HZNTL 15B-1-1-26 (WPM)
 UWI: 102.15-01-001-26W1.00
- Spud Date: 07-Nov-2010
 K.B. Elevation: 468.07 m
 Surface Casing: 219.10 mm @ 136.00 m with 11.0 t
 Finished Drilling: 11-Nov-2010
 Total Depth: 1610.00 m
 Production Casing: 139.7 mm @ 1610.00 m with 30.8 t
 Rig Released: 12-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 12-Nov-2010

- Lic. No.: 7694 Molopo Pierson SWD 9-32-1-28 (WPM)
 UWI: 100.09-32-001-28W1.00
- Revision to Report of: 08-Nov-2010
 Contractor: **Eagle Drilling Services Ltd. – Rig # 5**
- Spud Date: 11-Nov-2010
 K.B. Elevation: 464.42 m
 Surface Casing: 244.50 mm @ 148.00 m with 17.0 t
 Status: Logging (LOG)
 Logging: 15-Nov-2010
- Lic. No.: 7695 Tundra St. Lazare 14-35-16-28 (WPM)
 UWI: 100.14-35-016-28W1.00
- Spud Date: 09-Nov-2010
 K.B. Elevation: 476.27 m
 Surface Casing: 177.80 mm @ 139.00 m with 8.0 t
 Finished Drilling: 11-Nov-2010
 Total Depth: 533.00 m
 Production Casing: 114.3 mm @ 532.0 m with 6.0 t
 Rig Released: 12-Nov-2010
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 12-Nov-2010
- Lic. No. 7697 Tundra Daly Sinclair HZNTL 16-8-9-29 (WPM)
 UWI: 100.16-08-009-29W1.00
- Licence Issued: 08-Nov-2010
 Licensee: Tundra Oil & Gas Partnership
 Mineral Rights: Freehold
 Contractor: Trinidad Drilling Ltd. – Rig # 5
 Co-ords: 141.44 m (S) of (N) boundary of Sec. 8
 60.00 m (E) of (W) boundary of Sec. 8
 Grd. Elev: 538.54 m
 Proj. TD: 2036.5 m (Mississippian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7698 EOG Waskada HZNTL 1-3-1-24 (WPM)
 UWI: 100.01-03-001-24W1.00
- Licence Issued: 09-Nov-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. – Rig # 195
 Co-ords: 328.58 m (N) of (S) boundary of Sec. 3
 664.33 m (E) of (W) boundary of Sec. 3
 Grd. Elev: 520.49 m
 Proj. TD: 1650.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7699 EOG Waskada HZNTL A1-3-1-24 (WPM)
 UWI: 102.01-03-001-24W1.00

Licence Issued: 09-Nov-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. – Rig # 195
 Co-ords: 343.58 m (N) of (S) boundary of Sec. 3
 664.35 m (E) of (W) boundary of Sec. 3
 Grd. Elev: 520.65 m
 Proj. TD: 1650.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7700 EOG Waskada HZNTL A8-3-1-24 (WPM)
 UWI: 102.08-03-001-24W1.00

Licence Issued: 09-Nov-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. – Rig # 195
 Co-ords: 358.58 m (N) of (S) boundary of Sec. 3
 664.38 m (E) of (W) boundary of Sec. 3
 Grd. Elev: 521.22 m
 Proj. TD: 1650.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

Lic. No.: 7701 EOG Waskada HZNTL B8-3-1-24 (WPM)
 UWI: 103.08-03-001-24W1.00

Licence Issued: 09-Nov-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. – Rig # 195
 Co-ords: 713.98 m (N) of (S) boundary of Sec. 3
 664.38 m (E) of (W) boundary of Sec. 3
 Grd. Elev: 521.59 m
 Proj. TD: 1650.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

- Lic. No.: 7702 EOG Waskada HZNTL 9-3-1-24 (WPM)
 UWI: 102. 09-03-001-24W1.00
- Licence Issued: 10-Nov-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. – Rig # 195
 Co-ords: 728.98 m (N) of (S) boundary of Sec. 3
 664.41 m (E) of (W) boundary of Sec. 3
 Grd. Elev: 521.43 m
 Proj. TD: 1650.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7703 EOG Waskada HZNTL A9-3-1-24 (WPM)
 UWI: 103. 09-03-001-24W1.00
- Licence Issued: 10-Nov-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. – Rig # 195
 Co-ords: 648.51 m (S) of (N) boundary of Sec. 3
 610.56 m (E) of (W) boundary of Sec. 3
 Grd. Elev: 521.19 m
 Proj. TD: 1650.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7704 EOG Waskada HZNTL B9-3-1-24 (WPM)
 UWI: 104. 09-03-001-24W1.00
- Licence Issued: 10-Nov-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. – Rig # 195
 Co-ords: 633.52 m (S) of (N) boundary of Sec. 3
 610.66 m (E) of (W) boundary of Sec. 3
 Grd. Elev: 521.31 m
 Proj. TD: 1650.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

- Lic. No.: 7705 EOG Waskada HZNTL C9-3-1-24 (WPM)
 UWI: 105. 09-03-001-24W1.00
- Licence Issued: 10-Nov-2010
 Licensee: EOG Resources Canada Inc.
 Mineral Rights: Freehold
 Contractor: Precision Drilling (1987) Ltd. – Rig # 195
 Co-ords: 618.52 m (S) of (N) boundary of Sec. 3
 610.75 m (E) of (W) boundary of Sec. 3
 Grd. Elev: 521.12 m
 Proj. TD: 1650.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7706 Waskada Unit No. 3 HZNTL 1-5-2-25 (WPM)
 UWI: 102. 01-05-002-25W1.00
- Licence Issued: 10-Nov-2010
 Licensee: Penn West Petroleum
 Mineral Rights: Freehold
 Contractor: CanElsion Drilling Inc. – Rig # 12
 Co-ords: 455.00 m (N) of (S) boundary of Sec. 5
 684.92 m (E) of (W) boundary of Sec. 5
 Grd. Elev: 471.20 m
 Proj. TD: 1624.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7707 Waskada Unit No. 3 HZNTL A1-5-2-25 (WPM)
 UWI: 103. 01-05-002-25W1.00
- Licence Issued: 10-Nov-2010
 Licensee: Penn West Petroleum
 Mineral Rights: Freehold
 Contractor: Big Sky Drilling Inc. – Rig # 37
 Co-ords: 120.00 m (N) of (S) boundary of Sec. 5
 685.00 m (E) of (W) boundary of Sec. 5
 Grd. Elev: 471.36 m
 Proj. TD: 1604.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)

- Lic. No.: 7708 Waskada Unit No. 3 HZNTL B1-5-2-25 (WPM)
 UWI: 104.01-05-002-25W1.00
- Licence Issued: 10-Nov-2010
 Licensee: Penn West Petroleum
 Mineral Rights: Freehold
 Contractor: Big Sky Drilling Inc. – Rig # 37
 Co-ords: 130.00 m (N) of (S) boundary of Sec. 5
 685.00 m (E) of (W) boundary of Sec. 5
 Grd. Elev: 471.38 m
 Proj. TD: 1617.0 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)
- Lic. No.: 7709 Fort Calgary East Manson 15-20-13-28 (WPM)
 UWI: 100.15-20-013-28W1.00
- Licence Issued: 12-Nov-2010
 Licensee: Fort Calgary Resources Ltd.
 Mineral Rights: Freehold
 Contractor: Terroco Drilling Ltd. – Rig # 9
 Co-ords: 138.28 m (S) of (N) boundary of Sec. 20
 546.21 m (W) of (E) boundary of Sec. 20
 Grd. Elev: 490.82 m
 Proj. TD: 708.00 m (Triassic)
 Area: East Manson
 Classification: OUTPOST (Well)
 Status: Location (LOC)
- Lic. No.: 7710 Fairborne et al Daly Sinclair HZNTL 15-19-7-29(WPM)
 UWI: 100.15-19-007-29W1.00
- Licence Issued: 12-Nov-2010
 Licensee: Fairborne Energy Ltd.
 Mineral Rights: Freehold
 Contractor: To Be Determined
 Co-ords: 79.81 m (S) of (N) boundary of Sec. 18
 677.92 m (W) of (E) boundary of Sec. 18
 Grd. Elev: 532.84 m
 Proj. TD: 2644.0 m (Devonian)
 Field: Daly Sinclair
 Classification: DEVELOPMENT (Well)
 Status: Location (LOC)