



Conservation

Environmental Stewardship Division
Environmental Assessment and Licensing Branch
123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5
T 204 945-7100 F 204 945-5229
www.gov.mb.ca/conservation/envapprovals

FAXED

CLIENT FILE NO.: 4317.00

January 14, 2008

Debbie Stratychuk
Cargill AgHorizons
300 – 240 Graham Avenue
Winnipeg MB R3C 4C5

Dear Ms Stratychuk:

In response to your letter of August 2, 2007, our records have been updated to reflect the name change of Agricore United to Cargill AgHorizons. Enclosed is Revised Environment Act **Licence No. 2329 RR** dated January 14, 2008 re-issued in the name of **Cargill AgHorizons**.

In addition to the enclosed Revised Licence requirements, please be informed that all other applicable federal, provincial and municipal regulations and by-laws must be complied with.

Yours truly,

Tracey Braun, M.Sc.
Director
Environment Act

cc: B. Wright, Regional Director, Western Region
cc: R.M. of Arthur

NOTE: Confirmation of Receipt of this Revised Licence No. 2329 RR (by the Licencee only) is required by the Director of Environmental Assessment & Licensing Branch. Please acknowledge receipt by signing in the space provided below and faxing a copy back to the Department by January 18, 2008.

On behalf of Cargill AgHorizons

Date

****A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT
AT ALL TIMES****

Manitoba
spirited energy

LICENCE

Licence No. / Licence n° 2329RR

Issue Date / Date de délivrance May 27, 1998

Revised : May 14, 2004

Revised : January 14, 2008

In accordance with The Environment Act (C.C.S.M. c. E125) /
Conformément à la Loi sur l'environnement (C.P.L.M. c. E125)

Pursuant to Section 10(1) / Conformément au Paragraphe 10(1)

THIS LICENCE IS ISSUED TO : / CETTE LICENCE EST DONNÉE À :

CARGILL AGHORIZONS - ELVA; "the Licencee"

for the construction and operation of the Development being a grain elevator, a crop protection products warehouse, a bulk granular fertilizer blending/storage, an anhydrous ammonia storage tank and distribution facilities located on portions of the SW 1/4 21-3-27 and the SE 1/4 20-3-27 WPM in the Rural Municipality of Arthur, and in accordance with the Proposal filed under The Environment Act on March 24, 1998, and subject to the following specifications, limits, terms and conditions:

DEFINITIONS

In this Licence,

"**accredited laboratory**" means any facility accredited by the Standard Council of Canada (SCC); or facilities accredited by another accrediting agency recognized by Manitoba Environment to be equivalent to the SCC; or any facility able to demonstrate to Manitoba Environment, upon request, that it has the quality assurance/quality control (QA/QC) procedures in place equivalent to accreditation based on the Canadian Standard Can/CSA-Z753, extension of the international standard ISO 9000, Guide 25;

"**affected area**" means a geographical area excluding the property of the Development;

"**ambient concentration**" means the measurement of a substance contained in an air sample (corrected to a temperature of 25° C and to a pressure of 101.3 kilopascals) which has been collected from any point beyond the property line of the Development;

"**chemical**" includes, but is not limited to petroleum products, fertilizers and pesticides;

****A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT
AT ALL TIMES****

"**Director**" means an employee so designated pursuant to The Environment Act;

"**noise nuisance**" means an unwanted sound, in an affected area, which is annoying, troublesome, or disagreeable to a person:

- a) residing in an affected area;
- b) working in an affected area; or
- c) present at a location in an affected area which is normally open to the members of the public;

if the unwanted sound

- d) is the subject of at least 5 written complaints, received by the Director in a form satisfactory to the Director, and within a 90 day period, from 5 different persons falling within clauses a), b), or c), who do not live in the same household;

"**opacity**" means the degree to which emissions reduce the transmission of light and obscure the view of an object in the background;

"**particulate matter**" means any finely divided liquid or solid matter other than water droplets;

"**particulate residue**" means that part or portion of an atmospheric emission which is deposited onto a surface;

"**permanent anhydrous ammonia tank(s)**" means any storage container certified for the storage of anhydrous ammonia which is attached to a fixed supporting structure;

"**pesticide storage structure(s)**" means any building(s) where agricultural crop protection products are stored for either commercial or retail purposes;

"**point source**" means any point of emission from a Development where pollutants are ducted into the atmosphere; and

"**sewage**" means human body, toilet, liquid, waterborne culinary, sink or laundry waste.

GENERAL TERMS AND CONDITIONS

This Section of the Licence contains requirements intended to provide guidance to the Licencee in implementing practices to ensure that the environment is maintained in such a manner as to sustain a high quality of life, including social and economic development, recreation and leisure for present and future Manitobans.

1. The Licencee shall comply with the current edition of the Crop Protection Institute of Canada's warehousing standards regarding the handling and storage of crop protection chemicals, and with all applicable federal and provincial regulations.

2. The Licencee shall install and maintain, for all pesticide storage structure(s), an automatic system(s) for fire detection and security.
3. The Licencee shall, at all times during the operation of the Development, ensure that a high standard of equipment maintenance and operational practices are implemented.
4. The Licencee shall reduce the production and dissemination of wastes by initiating and maintaining waste reduction and waste recycling programs.
5. The Licencee shall not emit ammonia from the Development such that the ambient concentration of ammonia in air is in excess of:
 - a) 10 parts per million at any time when measured at any point beyond the property line of the Development; or
 - b) 2 parts per million as an 1-hour average when measured at any point beyond the property line of the Development.
6. The Licencee shall not emit particulate matter from the Development such that:
 - a) particulate matter:
 - i) exceeds 0.23 grams per dry standard cubic metre calculated at 25 degrees Celsius and 760 millimetres of mercury, corrected to 12 percent carbon dioxide for processes involving combustion from any point source of the Development;
 - ii) exhibits a visible plume with an opacity of greater than 5 percent at any point beyond the property line of the Development; or
 - iii) results in the deposition of visible particulate residue at any time beyond the property line of the Development; or
 - b) opacity from any point source of the Development equals or exceeds:
 - i) 20 percent as the average of any 24 consecutive opacity observations taken at 15 second intervals;
 - ii) 20 percent for more than 16 individual opacity observations within any 1 hour period; or
 - iii) 40 percent for any individual opacity observation.
7. The Licencee shall not cause or permit a noise nuisance to be created as a result of the operation of the Development, and shall take such steps as the Director may require to eliminate or mitigate a noise nuisance.
8. The Licencee shall at the request of the Director, conduct soil, air (stack and/or ambient), ground water, surface water or noise monitoring at or adjacent to the Development.
9. The Licencee shall, unless otherwise specified in this Licence, ensure that all analytical determinations are undertaken by an accredited laboratory for any of the following analytes as may be specified by the Director:
 - a) NH_3 - N (Sol.);
 - b) NH_3 - (in Air);

- c) NO₃ -NO₂ - N (Diss.);
 - d) Kjeldhal, Total - N;
 - e) P - Total;
 - f) Pesticides; and
 - g) Particulate Matter (in air).
10. The Licencee shall submit a copy of the sampling report complete with analytical results as specified pursuant to Clauses 8 and 9 of this Licence, to the Director within 60 days of the completion of the sampling program.
11. The Licencee shall install a minimum 2.4 metre high fence surrounding the Anhydrous Ammonia Tank to discourage access to unauthorized persons.

SPECIFICATIONS, LIMITS, TERMS AND CONDITIONS

I - LIQUID EMISSIONS

12. The Licencee shall not direct any spillage, contaminated run-off or pollutant, other than sewage, to an approved sewage disposal system.
13. The Licencee shall contain and clean up immediately any chemical spills in order to prevent soil, surface water or ground water contamination.
14. The Licencee shall ensure that the site retention area is protected with a minimum 45 cm of compacted clay material or other materials approved by the Director.
15. The Licencee shall ensure that the Development is adequately diked and that mechanical control culverts are installed at the low end of the diked area and those control culverts remain in the closed position. The Regional Office of Manitoba Environment in Brandon shall be contacted for prior approval to open the control culverts to permit land drainage.
16. The Licencee shall ensure that the surface of the site retention area is inspected semiannually for desiccation cracks, and that the site retention area's continuity is maintained.

II - REMEDIAL ACTION

17. The Licencee, subject to obtaining approval from an Environment Officer, shall immediately dispose of any contaminated material in accordance with the approval.
18. The Licencee shall remediate, within a time frame stipulated by the Director, all on and off-site environmental impacts as a result of any release of anhydrous ammonia.

III - EMERGENCY CONTINGENCY PLAN

19. The Licencee shall submit, within ninety (90) days of the issuance of this Licence, an emergency response contingency plan to be approved by the Director. This plan shall include, but not be limited to, items which will address: measures implemented for spill prevention and containment; security; personnel training; fire and other response arrangements.

IV - ANHYDROUS AMMONIA SETBACK DISTANCES

20. The Licencee shall not locate any permanent anhydrous ammonia tank(s) used for the on-site storage of ammonia prior to redistribution, within:
- a) 800 metres from residential areas, schools, hospitals or other institutions;
 - b) 100 metres from a single isolated residence; or
 - c) 100 metres from the edge of the right of way of a highway.

V - FERTILIZER PRODUCTS

21. The Licencee shall surface all areas of the Development where fertilizer is stored, loaded, blended, transferred or otherwise handled, in a manner and using materials approved by the Director.
22. The Licencee shall grade, dike or curb all areas where fertilizer is stored, loaded, blended, transferred or otherwise handled in a manner and using materials approved by the Director, such that all product spillage and contaminated run-off water from these areas is contained within the Development.

VI - PESTICIDES

23. The Licencee shall construct and maintain the concrete floors and curbs of all pesticide storage structure(s) so as to prevent spilled liquids from leaking into the soil.
24. The Licencee shall create and maintain a current duplicate inventory of all pesticides stored at the Development, with one copy stored at the premises of the Development, and the other copy stored at a location off-site from the Development.
25. The Licencee shall store only pesticides registered under the Pest Control Products Act of Canada at the Development.
26. The Licencee shall contain on the Development:
- a) any on-site pesticide spill;
 - b) waste water generated from any response action due to an on-site release of pesticides; and
 - c) contaminated water resulting from the extinguishing of any fire involving pesticides.


27. The Licencee shall locate the pesticide storage structure(s) a minimum distance of:
- a) 100 metres from any property zoned residential; and
 - b) 100 metres from single residences
- unless a written consent form is obtained from the owner(s).

VII - SITE DECOMMISSIONING

28. The Licencee shall submit within one (1) year prior to closure of the facility, for the approval of the Director, a formal detailed Decommissioning Plan for the facility.
29. The Licencee shall implement, on closure of the facility, the approved Decommissioning Plan.

REVIEW AND REVOCATION

- A. This Licence replaces Environment Act Licence No. 2329 R which is now hereby rescinded.
- B. If, in the opinion of the Director, the Licencee has exceeded or is exceeding or has or is failing to meet the specifications, limits, terms, or conditions set out in this Licence, the Director may, temporarily or permanently, revoke this Licence.
- C. If construction of the development is not commenced within three years of the date of this Licence, the Licence is revoked.
- D. If, in the opinion of the Director, new evidence warrants a change in the specifications, limits, terms, or conditions of this Licence, the Director may require the filing of a new proposal pursuant to Section 10 of The Environment Act.


Tracey Braun, M.Sc.
Director
Environment Act