

490 Hargrave Street Winnipeg, Manitoba R3A OX7 CANADA

www.wrha.mb.ca

490, rue Hargrave Winnipeg (Manitoba) R3A 0X7 CANADA

www wrha mh ca

December 2, 2020

Collège Sturgeon Heights Collegiate 2665 Ness Ave. Winnipeg, MB R3J 1A5

Dear Parent/Guardian of Students at Collège Sturgeon Heights Collegiate,

Manitoba public health officials advised Collège Sturgeon Heights Collegiate today of a confirmed case of COVID-19 in the school on November 25 when the individual may have been infectious.

Collège Sturgeon Heights Collegiate is working closely with public health officials and following their recommendations. Based on the public health investigation, this exposure was assessed to be low risk. The infection was not believed to be acquired at school. At this time, no close contacts have been identified at Collège Sturgeon Heights Collegiate. No one is required to self-isolate from this exposure.

Please note: the school is not permitted to release the name or any identifying information about the confirmed case of COVID-19 to any member of the school, community or media.

If you have not been contacted by a letter from public health officials, your child(ren) have not been identified as being exposed to COVID-19 from this case. If your child develops a new onset or worsening of any one symptom listed in Column A or any two or more symptoms listed in Column B (see table below), even if they are mild, immediately isolate them from others. It is recommended your child get tested for COVID-19 as soon as symptoms appear. You may go directly to the nearest COVID-19 testing location during their open hours. For the testing site nearest you, please visit https://www.gov.mb.ca/covid19/updates/testing.html, or call Health Links—Info Santé at 204-788-8200 or toll-free at 1-888-315-9257.

Α	В
Fever/Chills	Runny nose
Cough	Muscle aches
Sore throat/hoarse voice	Fatigue
Shortness of breath/difficulty breathing	Pink eye (conjunctivitis)
Loss of taste or smell	Headache
Vomiting or diarrhea for more than 24 hours	Skin rash of unknown cause
	Nausea or loss of appetite
	Poor feeding (if an infant)

Please note: individuals with symptoms outlined in columns A and B, who choose not to be tested, must isolate for a minimum of 10 days following the start of symptoms. Isolation can be stopped at day 10 if the individual has been symptom free for 24 hours.

For more public health information about COVID-19, please visit https://manitoba.ca/covid19/updates/resources.html.

Sincerely,

Dr. Heejune Chang Medical Officer of Health Winning Regional Health Au

Winnipeg Regional Health Authority