





### Description

**Bed II:** silty clay, slightly calcareous; several silt laminae at 26.4 m.

**Bed JJ:** silty clay with silt partings spaced 0.2 to 5 cm, calcareous, stiff abrupt lower contact.

**Bed KK:** silty clay, rare silt clasts/partings, slightly calcareous to more calcareous below 33.0 m.  
 @29.2-29.6 m clayier  
 @30.4 m coarse sand grains  
 @32.0 m ~10 fine-sand laminations, some are black  
 @33.2 m numerous fine sand partings  
 @33.6 numerous fine sand laminae

**Bed LL:** silty clay, numerous silt partings and rare laminae spaced 0.1 to 3 cm, calcareous.  
 @38.1-39.5 silt partings decrease to sparse  
 @39.2 one 4-mm pebble and one coarse sand grain; both calcareous and rounded.  
 @40.0-41.5 silt partings are regularly spaced 12 per 10 cm, so 180 couplets

**Bed MM:** silty clay, calcareous; abrupt upper and lower contacts.

**Bed NN:** silty clay, sparse silt partings spaced 0.1 to 10 cm, calcareous; 2-cm wide carbonate pebble at 45.8 m depth.

**Bed 00:** clay, rare silt partings, calcareous; carbonate granule at 47.2 m; abrupt lower contact.

**Bed PP:** clay, textural bedding, rare silt partings, calcareous; abrupt lower contact.

**Bed QQ:** silty clay, subtle textural bedding, rare silt laminae ~2 mm thick, graded beds, calcareous; silt blebs with clay partings at abrupt lower contact at 53.0 m.  
 @52.5 m gradually clayier, noncalcareous  
 @52.8 m one carbonate granule

