



**MINISTER OF
MINERAL RESOURCES**

Legislative Building
Winnipeg, Manitoba CANADA
R3C 0V8

MINISTERIAL ORDER

**Subsection 116(2)
THE OIL AND GAS ACT**

WATERFLOOD ORDER NO. 40A

(AMENDMENT)

**Pertaining to Waterflood Operations
in Routledge Unit No. 1**


- 1.0 The Unit Operator shall conduct waterflood operations by injecting water into the Virden Lodgepole Pool underlying Routledge Unit No. 1 ("the Unit") through the wells listed in Schedule A. The Director may approve the conversion of additional wells in the Unit to water injection.
- 1.1 Every injection well shall be completed as approved under Section 47 of the Drilling and Production Regulation ("the Regulation").
- 1.2 The maximum wellhead pressure at which water may be injected is 6 700 kPa.
- 1.3 The Director may, from time to time, establish a maximum or minimum rate at which water may be injected into a well.
- 1.4 The annulus of each injection well shall be pressure tested in accordance with Section 50 of the Regulation.
- 2.0 The Unit Operator shall conduct an annual survey to determine the level and distribution of reservoir pressure in the Unit. A summary of the results of any pressure surveys conducted during the year are to be included in the annual waterflood progress report required under Section 73 of the Regulation.
- 2.1 The frequency of pressure surveys may be reduced where the Director is satisfied that more frequent surveys will not assist the Unit Operator in monitoring the effectiveness of the waterflood.
- 2.2 The Unit Operator is responsible for monitoring the effectiveness of the waterflood and for collecting such reservoir data and other information as is necessary to evaluate and optimize waterflood performance.

- 2.3 The Unit Operator shall advise the Petroleum Branch of the suspension of water injection at any well, any indication of channelling or breakthrough of injected water to a producing well or out of zone and any other detrimental effects that may be attributable to the waterflood operations.
- 3.0 The Unit Operator shall file a report of production or injection for each well in the Unit in accordance with Section 120 of the Regulation.
- 4.0 The Unit Operator shall file an annual waterflood progress report in accordance with Section 73 of the Regulation.
- 5.0 Waterflood Order No. 40 is rescinded.

May 5, 2015
Date



Director of Petroleum for
Minister Mineral Resources

PETROLEUM DOCUMENT REGISTRY	
Document No.	<u>15-4176</u>
Registered	<u>May 7, 2015</u>
	
Petroleum Registrar	

SCHEDULE A

WATERFLOOD ORDER NO. 40A

ROUTLEDGE UNIT NO. 1

WATER INJECTION WELLS

WELL NAME	LSD	SEC	TWP	RGE
Routledge Unit No. 1 HZNTL WIW	9	21	9	25
Routledge Unit No. 1 HZNTL WIW	11	21	9	25
Routledge Unit No. 1 HZNTL WIW	4	27	9	25
Routledge Unit No. 1 HZNTL WIW	1	28	9	25