

## WEEKLY WELL ACTIVITY REPORT

### PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/14 – January 13/14)

#### DRILLING ACTIVITY

	To Jan 13/14	To Jan 14/13	2013 Total
Drilling Licences Issued	7	5	<b>537</b>
Licences Cancelled	0	0	<b>62</b>
Vertical Wells Drilled	3	0	30
Horizontal Wells Drilled	14	28	498
Stratigraphic Test Holes Drilled	0	0	2
Wells Drilled - Total	17	28	530
No. of Metres Drilled	33 907	55 213	1 016 845
Wells Re-entered	0	0	2
Wells Being Drilled	9	15	1
No. of Active Rigs	11	21	4
Wells Licenced but Not Spudded	188	233	202
Wells Completed as Potential Oil Wells	13	25	526
Wells Abandoned Dry	2	0	3
Wells Drilled but Not Completed	2	3	0
Other Completions	0	0	3
New Wells on Production	0	0	354

#### GEOPHYSICAL ACTIVITY

Geophysical Programs Licenced	0	0	17
Licences Cancelled	0	0	1
Kilometers Licenced	0	0	1 948
Kilometers Run	0	0	2 062

	2013	2012
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)
Month of Nov	509.65 (80.99)	532.76 (84.66)
Month of Dec	513.25 (81.56)	452.89 (71.97)

	2013	2012
<u>OIL PRODUCTION (M3)</u>		
Month of Mar	298 125.3	276 154.8
Cumulative Thru Mar 31	818 958.9	773 468.2

**WEEKLY WELL ACTIVITY REPORT****13 January 2014**

Lic. No.: 7954      Waskada Unit No. 15 HZNTL B13-3-2-26 (WPM)  
UWI: 104.13-03-002-26W1.00

Note: Licenced as B12-3-2-26 UWI 104 drilled as B13-3-2-26 UWI 104.

Lic. No.: 9313      Tundra St. Lazare HZNTL 16-35-16-28 (WPM)  
UWI: 100.16-35-016-28W1.00 - Leg #1  
UWI: 100.16-35-016-28W1.02 - Leg #2

Status: Completing (COMP)  
Completing: 09-Jan-2014

Lic. No.: 9408      Red River Daly Sinclair HZNTL A15-23-7-29 (WPM)  
UWI: 102.15-23-007-29W1.00

Finished Drilling: 09-Jan-2014  
Total Depth: 2550.00 m  
Intermediate Casing: 139.70 mm @ 1120.88 m with 41.8 t  
Rig Released: 11-Jan-2014  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 11-Jan-2014

Lic. No.: 9451      Corex Daly Sinclair Prov. HZNTL 16-4-11-28 (WPM)  
UWI: 100.16-04-011-28W1.00

Status: Completing (COMP)  
Completing: 07-Jan-2014

Lic. No.: 9453      CNRL Pierson HZNTL 14-23-2-29 (WPM)  
UWI: 100.14-23-002-29W1.00

Finished Drilling: 06-Jan-2014  
Total Depth: 1795.00 m  
Intermediate Casing: 139.70 mm @ 1795.00 m with 42.0 t  
Rig Released: 08-Jan-2014  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 08-Jan-2014

Lic. No.: 9499      Tundra Daly Sinclair HZNTL A16-20-9-29 (WPM)  
UWI: 103.16-20-009-29W1.00

Status: Completing (COMP)  
Completing: 08-Jan-2014

Lic. No.: 9544      Tundra Daly Sinclair HZNTL 5-19-9-29 (WPM)  
 UWI: 100.05-19-009-29W1.00

Spud Date: 09-Jan-2014  
 K.B. Elevation: 543.09 m  
 Surface Casing: 244.50 mm @ 139.00 m with 15.0 t  
 Status: Preparing To Run Casing (PREP CSG)  
 Preparing To Run Casing: 13-Jan-2014

Lic. No.: 9568      CPEC Manson HZNTL A3-3-13-28 (WPM)  
 UWI: 102.03-03-013-28W1.00

Finished Drilling: 07-Jan-2014  
 Total Depth: 2188.00 m  
 Rig Released: 11-Jan-2014  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 11-Jan-2014

Lic. No.: 9622      Corex Daly Sinclair HZNTL 5-35-10-29 (WPM)  
 UWI: 100.05-35-010-29W1.00

Finished Drilling: 09-Jan-2014  
 Total Depth: 2461.00 m  
 Intermediate Casing: 139.70 mm @ 2461.00 m with 48.0 t  
 Rig Released: 10-Jan-2014  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 10-Jan-2014

Lic. No.: 9625      Tundra Daly Sinclair HZNTL 4-18-11-29 (WPM)  
 UWI: 100.04-18-011-29W1.00

Status: Completing (COMP)  
 Completing: 07-Jan-2014

Lic. No.: 9645      NAL Pierson HZNTL 1-3-3-29 (WPM)  
 UWI: 102.01-03-003-29W1.00

Status: Completing (COMP)  
 Completing: 13-Jan-2014

Lic. No.: 9646      Elcano North Hargrave 16-27-12-27 (WPM)  
 UWI: 100.16-27-012-27W1.00

Revision to Report of: 18-Nov-2013  
 Contractor: Alliance Drilling – Rig #6

Spud Date: 13-Jan-2014  
 K.B. Elevation: 480.01 m  
 Surface Casing: 219.10 mm @ 138.00 m with 8.1 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 13-Jan-2014

Lic. No.: 9648      Tundra Virden HZNTL 14-24-11-27 (WPM)  
 UWI: 103.14-24-011-27W1.00 - Leg #1

Finished Drilling: 10-Jan-2014  
 Total Depth: 1800.00 m

UWI: 103.14-24-011-27W1.02 - Leg #2

Kick-Off Date: 10-Jan-2014  
 Kick-Off Point: 772.0 m  
 Finished Drilling: 13-Jan-2014  
 Total Depth: 1500.00 m

UWI: 103.14-24-011-27W1.00 - Leg #1  
 UWI: 103.14-24-011-27W1.02 - Leg #2

Status: Waiting On Orders (WOO)  
 Waiting On Orders: 13-Jan-2014

Lic. No.: 9656      CPEC Manson HZNTL B2-3-13-28 (WPM)  
 UWI: 103.02-03-013-28W1.00

Spud Date: 12-Jan-2014  
 K.B. Elevation: 493.53 m  
 Status: Running Casing (CSG)  
 Running Casing: 13-Jan-2014

Lic. No.: 9658      Corex Daly Sinclair HZNTL 4-25-9-29 (WPM)  
 UWI: 100.04-25-009-29W1.00

Intermediate Casing: 139.70 mm @ 2491.0 m with 69.0 t  
 Finished Drilling: 10-Jan-2014  
 Total Depth: 2491.00 m  
 Rig Released: 10-Jan-2014  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 10-Jan-2014

Lic. No.: 9659      Corex Daly Sinclair HZNTL A4-25-9-29 (WPM)  
 UWI: 102.04-25-009-29W1.00

Spud Date: 11-Jan-2014  
 K.B. Elevation: 511.97 m  
 Surface Casing: 244.50 mm @ 160.00 m with 13.5 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 13-Jan-2014

Lic. No.: 9665      NAL Pierson HZNTL 15-7-3-27 (WPM)  
 UWI: 100.15-07-003-27W1.00

Finished Drilling: 13-Jan-2014  
 Total Depth: 1727.00 m  
 Rig Released: 13-Jan-2014  
 Status: Abandoned Dry (ABD D)  
 Abandoned Dry: 13-Jan-2014

- Lic. No.: 9669      NAL Pierson HZNTL 12-4-3-29 (WPM)  
UWI: 100.12-04-003-29W1.00
- Status: Completing (COMP)  
Completing: 13-Jan-2014
- Lic. No.: 9681      Tundra Daly Sinclair HZNTL 13-22-9-28 (WPM)  
UWI: 100.13-22-009-28W1.00
- Finished Drilling: 12-Jan-2014  
Total Depth: 2356.00 m  
Intermediate Casing: 139.70 mm @ 941.00 m with 9.0 t  
Rig Released: 13-Jan-2014  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 13-Jan-2014
- Lic. No.: 9684      Tundra Daly Sinclair Prov. HZNTL 1-24-10-29 (WPM)  
UWI: 100.01-24-010-29W1.00
- Finished Drilling: 08-Jan-2014  
Total Depth: 2382.00 m  
Intermediate Casing: 139.70 mm @ 2382.00 m with 48.5 t  
Rig Released: 09-Jan-2014  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 09-Jan-2014
- Lic. No.: 9685      Tundra Daly Sinclair Prov. HZNTL A16-30-8-28 (WPM)  
UWI: 102.16-30-008-28W1.00
- Revision to Report of: 02-Dec-2013  
Contractor: Trinidad Drilling Ltd. – Rig #10
- Spud Date: 09-Jan-2014  
K.B. Elevation: 518.47 m  
Surface Casing: 244.50 mm @ 139.00 m with 11.5 t  
Status: Drilling Ahead (DR)  
Drilling Ahead: 13-Jan-2014
- Lic. No.: 9687      Tundra Daly Sinclair 8-7-11-29 (WPM)  
UWI: 100.08-07-011-29W1.00
- Please note revised well name and deleted UWI
- Licensed as horizontal well to 5-7-11-29 surface 8-7-11-29  
Switched stratigraphic testhole from #9697 (same surface)
- Drilled vertical portion only now a potential producer.**
- Finished Drilling: 07-Jan-2014  
Total Depth: 930.00 m  
Production Casing: 114.30 mm @ 930.00 m with 24.5 t  
Rig Released: 08-Jan-2014  
Status: Waiting On Service Rig (WOSR)  
Waiting On Service Rig: 08-Jan-2014

- Lic. No.: 9691      EOG Waskada HZNTL 10-3-2-25 (WPM)  
 UWI: 100.10-03-002-25W1.00
- Finished Drilling: 07-Jan-2014  
 Total Depth: 2044.00 m  
 Intermediate Casing: 139.70 mm @ 2044.00 m with 52.0 t  
 Rig Released: 08-Jan-2014  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 08-Jan-2014
- Lic. No.: 9694      EOG Waskada HZNTL A9-3-2-25 (WPM)  
 UWI: 102.09-03-002-25W1.00
- Revision to Report of: 09-Dec-2013  
 Contractor: Precision Drilling – Rig #191
- Spud Date: 13-Jan-2014  
 K.B. Elevation: 477.75 m  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 13-Jan-2014
- Lic. No.: 9697      Tundra Daly Sinclair HZNTL 8-8-11-29 (WPM)  
 UWI: 100.08-08-011-29W1.00
- Please note revised UWI from W1.02 to W1.00  
 Licenced with the vertical portion as a stratigraphic testhole (8-7-11-29)  
 Stratigraphic testhole now switched to #9687 (same surface)
- Lic. No.: 9701      Tundra Daly Sinclair HZNTL A13-25-8-29 (WPM)  
 UWI: 102.13-25-008-29W1.00
- Finished Drilling: 08-Jan-2014  
 Total Depth: 2203.00 m  
 Intermediate Casing: 139.70 mm @ 2203.00 m with 44.0 t  
 Rig Released: 09-Jan-2014  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 09-Jan-2014
- Lic. No.: 9706      Legacy Coulter 10-34-1-27 (WPM)  
 UWI: 100.10-34-001-27W1.00
- Finished Drilling: 07-Jan-2014  
 Total Depth: 1026.00 m  
 Production Casing: 139.70 mm @ 1026.00 m with 24.0 t  
 Rig Released: 08-Jan-2014  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 08-Jan-2014

Lic. No.: 9707

Legacy et al Pierson HZNTL A15-19-2-28 (WPM)  
UWI: 102.15-19-002-28W1.00

Revision to Report of: 16-Dec-2013  
Contractor: Ensign Canadian – Rig #650

Spud Date: 09-Jan-2014  
K.B. Elevation: 464.01 m  
Surface Casing: 219.10 mm @ 158.00 m with 11.0 t  
Status: Drilling Ahead (DR)  
Drilling Ahead: 13-Jan-2014

Lic. No.: 9718 CNRL Pierson HZNTL A13-5-2-29 (WPM)  
 UWI: 102.13-05-002-29W1.00

Spud Date: 08-Jan-2014  
 K.B. Elevation: 477.21 m  
 Surface Casing: 244.50 mm @ 160.00 m with 21.0 t  
 Finished Drilling: 12-Jan-2014  
 Total Depth: 2167.00 m  
 Status: Preparing To Run Casing (PREP CSG)  
 Preparing To Run Casing: 13-Jan-2014

Lic. No.: 9727 Corex Daly Sinclair HZNTL 13-9-10-28 (WPM)  
 UWI: 102.13-09-010-28W1.00

Spud Date: 11-Jan-2014  
 K.B. Elevation: 511.14 m  
 Surface Casing: 244.50 mm @ 250.00 m with 20.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 13-Jan-2014

Lic. No.: 9728 Red Beds Waskada HZNTL 16-26-1-25 (WPM)  
 UWI: 100.16-26-001-25W1.00

Intermediate Casing: 139.70 mm @ 1105.47 m with 4.0 t  
 Finished Drilling: 12-Jan-2014  
 Total Depth: 2530.00 m  
 Rig Released: 12-Jan-2014  
 Status: Waiting On Service Rig (WOSR)  
 Waiting On Service Rig: 12-Jan-2014

Lic. No.: 9730 Tundra Daly Sinclair HZNTL A1-31-8-28 (WPM)  
 UWI: 103.01-31-008-28W1.00

Revision to Report of: 23-Dec-2013  
 Contractor: Trinidad Drilling Ltd. – Rig #12

Spud Date: 10-Jan-2014  
 K.B. Elevation: 517.59 m  
 Surface Casing: 219.10 mm @ 141.00 m with 11.0 t  
 Status: Drilling Ahead (DR)  
 Drilling Ahead: 13-Jan-2014

Lic. No.: 9737 Major Souris Hartney 1-28-6-22 (WPM)  
 UWI: 100.01-28-006-22W1.00

Surface Casing: 219.10 mm @ 147.00 m with 8.0 t  
 Finished Drilling: 03-Jan-2014  
 Total Depth: 757.00 m  
 Rig Released: 04-Jan-2014  
 Status: Abandoned Dry (ABD D)  
 Abandoned Dry: 04-Jan-2014



Lic. No.: 9738      Corval Daly Sinclair HZNTL A9-23-8-28 (WPM)  
 UWI: 102.09-23-008-28W1.00

Licence Issued: 10-Jan-2014  
 Licensee: Corval Energy LTD  
 Mineral Rights: Corval Energy LTD  
 Contractor: Crusader Drilling Corp. - Rig# 1  
 Surface Location: 16A-22-08-28  
 Co-ords: 373.00m (S) of (N) boundary of Sec. 22  
           70.00m (W) of (E) boundary of Sec. 22  
 Grd Elev: 480.08 m  
 Proj. TD: 2427 m (Devonian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

Lic. No.: 9739      Corval Daly Sinclair HZNTL B9-23-8-28 (WPM)  
 UWI: 103.09-23-008-28W1.00

Licence Issued: 10-Jan-2014  
 Licensee: Corval Energy LTD  
 Mineral Rights: Corval Energy LTD  
 Contractor: Crusader Drilling Corp. - Rig# 1  
 Surface Location: 16A-22-08-28  
 Co-ords: 373.00m (S) of (N) boundary of Sec. 22  
           50.00m (W) of (E) boundary of Sec. 22  
 Grd Elev: 479.74 m  
 Proj. TD: 2307 m (Mississippian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

Lic. No.: 9740      Elcano North Hargrave DIR 7-22-12-27 (WPM)  
 UWI: 100.07-22-012-27W1.00

Licence Issued: 10-Jan-2014  
 Licensee: ELCANO EXPLORATION INC.  
 Mineral Rights: ELCANO EXPLORATION INC.  
 Contractor: Partner Drilling Ltd. - Rig# 3  
 Surface Location: 10A-22-12-27  
 Co-ords: 760.44m (S) of (N) boundary of Sec. 22  
           550.00m (W) of (E) boundary of Sec. 22  
 Grd Elev: 476.09 m  
 Proj. TD: 723 m (Devonian)  
 Area: North Hargrave  
 Classification: DEVELOPMENT (CONFIDENTIAL)  
 Status: Location(LOC)

- Lic. No.: 9741      South Pierson Unit No. 1 HZNTL 2-9-2-29 (WPM)  
 UWI: 103.02-09-002-29W1.00
- Licence Issued: 10-Jan-2014  
 Licensee: Canadian Natural Resources  
 Mineral Rights: Canadian Natural Resources  
 Contractor: Ensign Canadian/Champion Drilling - Rig# 351  
 Surface Location: 12C-10-02-29  
 Co-ords: 420.39m (S) of (N) boundary of Sec. 10  
           65.00m (E) of (W) boundary of Sec. 10  
 Grd Elev: 470.23 m  
 Proj. TD: 2238 m (Triassic)  
 Field: Pierson  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 9742      Corex Daly Sinclair Prov. A9-4-10-28 (WPM)  
 UWI: 102.09-04-010-28W1.00
- Licence Issued: 10-Jan-2014  
 Licensee: COREX RESOURCES LTD  
 Mineral Rights: COREX RESOURCES LTD  
 Contractor: CanElson Drilling Inc. - Rig# 10  
 Surface Location: 09-04-10-28  
 Co-ords: 629.98m (S) of (N) boundary of Sec. 4  
           200.30m (W) of (E) boundary of Sec. 4  
 Grd Elev: 509.40 m  
 Proj. TD: 890 m (Devonian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)
- Lic. No.: 9743      Tundra Daly Sinclair Prov. HZNTL 9-5-10-29 (WPM)  
 UWI: 100.09-05-010-29W1.00
- Licence Issued: 10-Jan-2014  
 Licensee: Tundra Oil & Gas Partnership  
 Mineral Rights: Tundra Oil & Gas Partnership  
 Contractor: Trinidad Drilling Ltd. - Rig# 10  
 Surface Location: 09A-06-10-29  
 Co-ords: 643.30m (S) of (N) boundary of Sec. 6  
           90.00m (W) of (E) boundary of Sec. 6  
 Grd Elev: 540.15 m  
 Proj. TD: 2447.1 m (Mississippian)  
 Field: Daly Sinclair  
 Classification: DEVELOPMENT (NON CONFIDENTIAL)  
 Status: Location(LOC)

Lic. No.: 9744 Tundra Miniota Prov. HZNTL 1-18-13-27 (WPM)  
UWI: 100.01-18-013-27W1.00

Licence Issued: 10-Jan-2014  
Licensee: Tundra Oil & Gas Partnership  
Mineral Rights: Tundra Oil & Gas Partnership  
Contractor: Trinidad Drilling Ltd. - Rig# 10  
Surface Location: 01D-13-13-28  
Co-ords: 228.00m (N) of (S) boundary of Sec. 13  
60.00m (W) of (E) boundary of Sec. 13  
Grd Elev: 478.79 m  
Proj. TD: 2176.2 m (Mississippian)  
Area: Miniota  
Classification: DEVELOPMENT (NON CONFIDENTIAL)  
Status: Location(LOC)

### **WELL NAME CHANGES**

Lic. No.: 7954 From: Waskada Unit No. 15 HZNTL B12-3-2-26 (WPM)  
To: Waskada Unit No. 15 HZNTL B13-3-2-26 (WPM)