

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/12 – August 13/12)

DRILLING ACTIVITY

	To August 13/12	To August 15/11	2011 Total
Drilling Licences Issued	420	363	672
Licences Cancelled	25	24	55
Vertical Wells Drilled	24	14	42
Horizontal Wells Drilled	332	221	536
Stratigraphic Test Holes Drilled	1	0	0
Wells Drilled - Total	357	235	578
No. of Metres Drilled	664 489	430 668	1 068 753
Wells Re-entered	0	3	7
Wells Being Drilled	11	9	0
No. of Active Rigs	16	10	0
Wells Licenced but Not Spudded	197	236	144
Wells Completed as Potential Oil Wells	341	225	559
Wells Abandoned Dry	9	5	14
Wells Drilled but Not Completed	2	1	0
Other Completions	4	4	7
New Wells on Production	171	129	504

GEOPHYSICAL ACTIVITY

Geophysical Programs Licenced	8	8	19
Licences Cancelled	0	0	0
Kilometers Licenced	567	1436	4 815
Kilometers Run	131	15	1 422

	2012	2011
<u>OIL PRICES (Average)</u>	\$/m3 (\$/bbl)	\$/m3 (\$/bbl)
Month of June	503.90 (80.07)	601.09 (95.52)
Month of July	481.95 (76.59)	579.55 (92.10)

	2011	2010
<u>OIL PRODUCTION (M3)</u>		
Month of October	208 104.3	171 360.2
Cumulative Thru October 31	1 917 504.0	1 502 852.3

WEEKLY WELL ACTIVITY REPORT**13 August 2012**

Lic. No.: 7607 CNRL Pierson HZNTL 3-23-2-29 (WPM)
UWI: 100.03-23-002-29W1.00

Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 08-Feb-2012
Field/Pool Code: 7 42L

Lic. No.: 7608 CNRL Pierson HZNTL 4-23-2-29 (WPM)
UWI: 102.04-23-002-29W1.00

Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 26-Jan-2012
Field/Pool Code: 7 29B

Lic. No.: 7906 CNRL Pierson HZNTL 16-15-2-29 (WPM)
UWI: 100.16-15-002-29W1.00

Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 25-Jan-2012
Field/Pool Code: 7 29B

Lic. No.: 7960 Surge Waskada SWD A16-3-2-26 (WPM)
UWI: 104.16-03-002-26W1.00

Status: Salt Water Disposal (SWD)
Salt Water Disposal: 15-Dec-2011
Field/Pool Code: 3 44

Lic. No.: 8074 South Pierson Unit No. 2 HZNTL 8-30-2-29 (WPM)
UWI: 102.08-30-002-29W1.00

Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 24-Feb-2012
Field/Pool Code: 7 35A

Lic. No.: 8106 South Pierson Unit No. 2 HZNTL A8-30-2-29 (WPM)
UWI: 103.08-30-002-29W1.00

Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 27-Feb-2012
Field/Pool Code: 7 35A

Lic. No.: 8110 Reliable Elkhorn HZNTL 8-10-12-28 (WPM)
 UWI: 100.08-10-012-28W1.02

Status: Capable Of Oil Production (COOP)
 Capable Of Oil Production: 10-Sep-2011
 Field/Pool Code: 99 Confidential Pool Code

Lic. No.: 8186 Antler River Daly Sinclair HZNTL 9-31-7-28 (WPM)
 UWI: 100.09-31-007-28W1.00

Status: Capable Of Oil Production (COOP)
 Capable Of Oil Production: 08-Dec-2011
 Field/Pool Code: 1 62B

Lic. No.: 8206 South Pierson Unit No. 1 15-17-2-29 (WPM)
 UWI: 100.15-17-002-29W1.00

Status: Capable Of Oil Production (COOP)
 Capable Of Oil Production: 10-Mar-2012
 Field/Pool Code: 7 35A

Lic. No.: 8229 Tundra Regent Prov. HZNTL 15-35-3-22 (WPM)
 UWI: 100.15-35-003-22W1.00 – Leg# 1
 UWI: 100.01-02-004-22W1.02 – Leg# 2

Status: Capable Of Oil Production (COOP)
 Capable Of Oil Production: 05-Nov-2011
 Field/Pool Code: 13 52A

Lic. No.: 8309 CNRL et al Pierson HZNTL 13-30-2-28 (WPM)
 UWI: 100.13-30-002-28W1.00

Status: Capable Of Oil Production (COOP)
 Capable Of Oil Production: 28-Jan-2012
 Field/Pool Code: 7 29B

Lic. No.: 8353 Fort Calgary East Manson Prov. HZNTL 15-20-13-28 (WPM)
 UWI: 102.15-20-013-28W1.00

Status: Capable Of Oil Production (COOP)
 Capable Of Oil Production: 17-Dec-2011
 Field/Pool Code: 17 62E

Lic. No.: 8358 North Virden Scallion Unit No. 1 HZNTL 13-23-11-26 (WPM)
 UWI: 103.13-23-011-26W1.00

Status: Capable Of Oil Production (COOP)
 Capable Of Oil Production: 31-Jan-2012
 Field/Pool Code: 5 59A

- Lic. No.: 8433 South Pierson Unit No. 2 HZNTL 12-19-2-29 (WPM)
UWI: 102.12-19-002-29W1.00
- Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 28-Feb-2012
Field/Pool Code: 7 35A
- Lic. No.: 8590 Tundra Daly Sinclair HZNTL A5-30-10-28 (WPM)
UWI: 102.05-30-010-28W1.00
- Status: Completing (COMP)
Completing: 13-Aug-2012
- Lic. No.: 8599 Goodlands Unit No. 1 Prov. HZNTL A11-11-1-24 (WPM)
UWI: 103.11-11-001-24W1.00
- Status: Capable Of Oil Production (COOP)
Capable Of Oil Production: 04-Jul-2012
Field/Pool Code: 3 29I
- Lic. No.: 8615 Tundra Elkhorn HZNTL 1-7-11-28 (WPM)
UWI: 100.01-07-011-28W1.00
- Status: Completing (COMP)
Completing: 12-Aug-2012
- Lic. No.: 8642 Tundra North Birdtail Prov. HZNTL 2-6-17-27 (WPM)
UWI: 100.02-06-017-27W1.00 - Leg# 1
- Finished Drilling: 09-Aug-2012
Total Depth: 1540.00 m
- UWI: 100.02-06-017-27W1.02 – Leg# 2
- Intermediate Casing: 177.80 mm @ 662.00 m with 9.2 t
Kick-Off Date: 10-Aug-2012
Kick-Off Point: 972.00 m
Finished Drilling: 10-Aug-2012
Total Depth: 1380.00 m
Rig Released: 11-Aug-2012
- UWI: 100.02-06-017-27W1.00 – Leg# 1
UWI: 100.02-06-017-27W1.02 – Leg# 2
- Note: Originally licensed as one leg, drilled as two.
- Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 11-Aug-2012

Lic. No.: 8678 Waskada Unit No. 7 HZNTL 11-17-1-25 (WPM)
 UWI: 102.11-17-001-25W1.00

Revision to Report of: 07-May-2012
 Contractor: Precision Drilling – Rig# 205

Spud Date: 11-Aug-2012
 K.B. Elevation: 472.28 m
 Surface Casing: 219.10 mm @ 166.00 m with 10.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 13-Aug-2012

Lic. No.: 8682 Waskada Unit No. 7 HZNTL B14-17-1-25 (WPM)
 UWI: 104.14-17-001-25W1.00

Intermediate Casing: 139.70 mm @ 2076.00 m with 51.0 t
 Finished Drilling: 09-Aug-2012
 Total Depth: 2078.00 m
 Rig Released: 10-Aug-2012
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 10-Aug-2012

Lic. No.: 8685 Waskada Unit No. 8 HZNTL 9-7-2-25 (WPM)
 UWI: 102.09-07-002-25W1.00

Revision to Report of: 07-May-2012
 Contractor: Precision Drilling – Rig# 157

Spud Date: 12-Aug-2012
 K.B. Elevation: 477.49 m
 Surface Casing: 219.10 mm @ 169.00 m with 11.0 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 13-Aug-2012

Lic. No.: 8686 Waskada Unit No. 8 HZNTL A3-8-2-25 (WPM)
 UWI: 103.03-08-002-25W1.00

Revision to Report of: 07-May-2012
 Contractor: Precision Drilling – Rig# 157

Spud Date: 07-Aug-2012
 K.B. Elevation: 477.58 m
 Surface Casing: 219.10 mm @ 173.00 m with 11.0 t
 Intermediate Casing: 139.70 mm @ 1769.00 m with 47.3 t
 Finished Drilling: 10-Aug-2012
 Total Depth: 1770.00 m
 Rig Released: 11-Aug-2012
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 11-Aug-2012

Lic. No.: 8692 Tundra St. Lazare HZNTL 6-32-17-28 (WPM)
 UWI: 100.06-32-017-28W1.00

Status: Completing (COMP)
 Completing: 08-Aug-2012

Lic. No.: 8702 Red Beds Pierson HZNTL 6-13-2-29 (WPM)
 UWI: 100.06-13-002-29W1.00

Spud Date: 09-Aug-2012
 Surface Casing: 219.10 mm @ 135.00 m with 9.0 t
 Status: Surface Casing Set (SCS)
 Surface Casing Set: 09-Aug-2012

Lic. No.: 8703 Red Beds Pierson HZNTL 9-14-2-29 (WPM)
 UWI: 102.09-14-002-29W1.00

Main Hole Commenced: 09-Aug-2012
 K.B. Elevation: 469.90 m
 Intermediate Casing: 139.70 m @ 1878.00 m with 26.2 t
 Finished Drilling: 12-Aug-2012
 Total Depth: 1879.00 m
 Rig Released: 13-Aug-2012
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 13-Aug-2012

Lic. No.: 8704 Red Beds Pierson HZNTL A9-14-2-29 (WPM)
 UWI: 103.09-14-002-29W1.00

Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 13-Aug-2012

Lic. No.: 8706 Red Beds Pierson HZNTL A12-14-2-29 (WPM)
 UWI: 102.12-14-002-29W1.00

Intermediate Casing: 139.70 mm @ 1848.00 m with 25.6 t
 Finished Drilling: 07-Aug-2012
 Total Depth: 1849.00 m
 Rig Released: 08-Aug-2012
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 08-Aug-2012

Lic. No.: 8711 Tundra East Manson Prov. HZNTL 13-11-13-28 (WPM)
 UWI: 100.13-11-013-28W1.00

Status: Moving In Rotary Tools (MIRT)
 Moving In Rotary Tools: 13-Aug-2012

Lic. No.: 8723 CPEC South McAuley HZNTL 13-14-14-29 (WPM)
 UWI: 100.13-13-014-29W1.00

Surface Casing: 244.50 mm @ 164.00 m with 17.0 t
 Intermediate Casing: 177.80 mm @ 825.00 m with 15.5 t
 Status: Drilling Ahead (DR)
 Drilling Ahead: 13-Aug-2012

- Lic. No.: 8726 Tundra Daly Sinclair Prov. HZNTL 13-1-9-28 (WPM)
UWI: 100.13-01-009-28W1.00
- Intermediate Casing: 139.70 mm @ 954.06 m with 20.3 t
Finished Drilling: 08-Aug-2012
Total Depth: 2224.00 m
Rig Released: 09-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 09-Aug-2012
- Lic. No.: 8749 Waskada Unit No. 2 HZNTL 2-35-1-26 (WPM)
UWI: 102.02-35-001-26W1.00
- Revision to Report of: 18-Jun-2012
Contractor: Bonanza Drilling Inc. – Rig# 3
- Spud Date: 09-Aug-2010
K.B. Elevation: 472.50 m
Surface Casing: 219.00 mm @ 173.00 m with 12.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 13-Aug-2012
- Lic. No.: 8760 Tundra Daly Sinclair HZNTL 1-2-9-29 (WPM)
UWI: 100.01-02-009-29W1.02
- Status: Completing (COMP)
Completing: 09-Aug-2012
- Lic. No.: 8761 Tundra Daly Sinclair HZNTL A1-5-9-29 (WPM)
UWI: 102.01-05-009-29W1.02
- Status: Completing (COMP)
Completing: 08-Aug-2012
- Lic. No.: 8765 Waskada Unit No. 2 HZNTL B2-35-1-26 (WPM)
UWI: 104.02-35-001-26W1.00
- Intermediate Casing: 139.70 mm @ 1716.00 m with 45.3 t
Finished Drilling: 07-Aug-2012
Total Depth: 1716.00 m
Rig Released: 09-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 09-Aug-2012
- Lic. No.: 8774 EOG Waskada HZNTL B3-8-1-24 (WPM)
UWI: 104.03-08-001-24W1.00
- Spud Date: 10-Aug-2012
K.B. Elevation: 481.68 m
Surface Casing: 219.10 mm @ 152.00 m with 11.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 13-Aug-2012

- Lic. No.: 8795 Legacy Coulter Prov. HZNTL A5-30-1-27 (WPM)
UWI: 102.05-30-001-27W1.00
- Intermediate Casing: 139.70 mm @ 2411.00 m with 54.0 t
Finished Drilling: 10-Aug-2012
Total Depth: 2412.00 m
Rig Released: 11-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 11-Aug-2012
- Lic. No.: 8797 Red Beds Pierson HZNTL B6-19-2-28 (WPM)
UWI: 103.06-19-002-28W1.00
- Spud Date: 07-Aug-2012
Surface Casing: 219.10 mm @ 135.50 m with 9.0 t
Status: Surface Casing Set (SCS)
Surface Casing Set: 07-Aug-2012
- Lic. No.: 8800 Tundra Daly Sinclair HZNTL 4-20-10-28 (WPM)
UWI: 102.04-20-010-28W1.00
- Main Hole Commenced: 07-Aug-2012
K.B. Elevation: 515.51 m
Intermediate Casing: 139.70 mm @ 2184.00 m with 48.0 t
Finished Drilling: 11-Aug-2012
Total Depth: 2184.00 m
Rig Released: 12-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 12-Aug-2012
- Lic. No.: 8806 Tundra Daly Sinclair HZNTL 9-18-10-28 (WPM)
UWI: 100.09-18-010-28W1.00
- Spud Date: 11-Aug-2012
K.B. Elevation: 523.46 m
Surface Casing: 244.50 mm @ 143.00 m with 14.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 13-Aug-2012
- Lic. No.: 8811 Waskada Unit No. 2 HZNTL C2-35-1-26 (WPM)
UWI: 105.02-35-001-26W1.00
- Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 13-Aug-2012
- Lic. No.: 8812 Penn West Waskada HZNTL 15-26-1-26 (WPM)
UWI: 102.15-26-001-26W1.00
- Spud Date: 08-Aug-2012
K.B. Elevation: 470.30 m
Surface Casing: 219.10 mm @ 164.00 m with 10.0 t
Intermediate Casing: 139.70 mm @ 1695.00 m with 45.0 t
Finished Drilling: 12-Aug-2012
Total Depth: 1695.00 m
Rig Released: 12-Aug-2012

Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 12-Aug-2012

Lic. No.: 8826 EOG Coulter Prov. HZNTL 6-28-1-27 (WPM)
 UWI: 100.06-28-001-27W1.00

Intermediate Casing: 139.70 mm @ 1764.00 m with 44.6 t
 Finished Drilling: 08-Aug-2012
 Total Depth: 1764.00 m
 Rig Released: 09-Aug-2012
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 09-Aug-2012

Lic. No.: 8827 EOG Coulter Prov. HZNTL A6-28-1-27 (WPM)
 UWI: 102.06-28-001-27W1.00

Revision to Report of: 16-Jul-2012
 Contractor: Precision Drilling – Rig# 191

Spud Date: 09-Aug-2012
 K.B. Elevation: 456.10 m
 Surface Casing: 219.10 mm @ 152.00 m with 11.0 t
 Finished Drilling: 12-Aug-2012
 Total Depth: 1811.00 m
 Status: Running Casing (CSG)
 Running Casing: 13-Aug-2012

Lic. No.: 8832 Penn West Waskada HZNTL A15-26-1-26 (WPM)
 UWI: 103.15-26-001-26W1.00

Intermediate Casing: 139.70 mm @ 1691.00 m with 45.0 t
 Finished Drilling: 07-Aug-2012
 Total Depth: 1691.00 m
 Rig Released: 08-Aug-2012
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 08-Aug-2012

Lic. No.: 8833 Penn West Waskada HZNTL B15-26-1-26 (WPM)
 UWI: 104.15-26-001-26W1.00

Spud Date: 31-Jul-2012
 K.B. Elevation: 470.28 m
 Surface Casing: 219.10 mm @ 164.00 m with 10.0 t
 Intermediate Casing: 139.70 mm @ 1705.00 m with 44.0 t
 Finished Drilling: 03-Aug-2012
 Total Depth: 1705.00 m
 Rig Released: 04-Aug-2012
 Status: Waiting On Service Rig (WOSR)
 Waiting On Service Rig: 04-Aug-2012

- Lic. No.: 8834 Tundra Daly Sinclair HZNTL A4-7-8-28 (WPM)
UWI: 102.04-07-008-28W1.00
- Intermediate Casing: 139.70 mm @ 2353.50 m with 49.5 t
Finished Drilling: 09-Aug-2012
Total Depth: 2354.00 m
Rig Released: 11-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 11-Aug-2012
- Lic. No.: 8835 Tundra Daly Sinclair HZNTL 9-31-8-27 (WPM)
UWI: 100.09-31-008-27W1.00
- Revision to Report of: 16-Jul-2012
Contractor: Trinidad Drilling Ltd. – Rig# 9
- Spud Date: 11-Aug-2012
K.B. Elevation: 484.51 m
Surface Casing: 244.50 mm @ 142.00 m with 12.5 t
Status: Drilling Ahead (DR)
Drilling Ahead: 13-Aug-2012
- Lic. No.: 8836 Tundra Daly Sinclair HZNTL 1-21-10-28 (WPM)
UWI: 102.01-21-010-28W1.00
- Main Hole Commenced: 12-Aug-2012
K.B. Elevation: 515.13 m
Status: Drilling Ahead (DR)
Drilling Ahead: 13-Aug-2012
- Lic. No.: 8837 Tundra Daly Sinclair HZNTL 8-21-10-28 (WPM)
UWI: 100.08-21-010-28W1.00
- Intermediate Casing: 139.70 mm @ 2329.00 m with 51.6 t
Finished Drilling: 05-Aug-2012
Total Depth: 2341.00 m
Rig Released: 07-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 07-Aug-2012
- Lic. No.: 8841 EOG Pierson HZNTL 11-2-2-28 (WPM)
UWI: 100.11-02-002-28W1.00
- Intermediate Casing: 139.70 mm @ 1970.00 m with 48.0 t
Finished Drilling: 07-Aug-2012
Total Depth: 1970.00 m
Rig Released: 08-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 08-Aug-2012
- Lic. No.: 8842 EOG Waskada Prov. HZNTL 14-4-1-25 (WPM)
UWI: 100.14-04-001-25W1.00
- Intermediate Casing: 139.70 mm @ 1674.00 m with 24.6 t
Finished Drilling: 08-Aug-2012
Total Depth: 1674.00 m
Rig Released: 09-Aug-2012

Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 09-Aug-2012

- Lic. No.: 8846 Melita Pierson HZNTL 5-26-1-28 (WPM)
UWI: 100.05-26-001-28W1.00
- Revision to Report of: 23-Jul-2012
Contractor: Champion Drilling Ltd. – Rig# 341
- Spud Date: 06-Aug-2012
K.B. Elevation: 458.79 m
Surface Casing: 219.10 mm @ 149.00 m with 9.6 t
Finished Drilling: 12-Aug-2012
Total Depth: 1740.00 m
Status: Waiting On Orders (WOO)
Waiting On Orders: 13-Aug-2012
- Lic. No.: 8848 Legacy Pierson HZNTL 13-1-2-29 (WPM)
UWI: 100.13-01-002-29W1.00
- Spud Date: 12-Aug-2012
K.B. Elevation: 466.47 m
Status: Drilling Ahead (DR)
Drilling Ahead: 13-Aug-2012
- Lic. No.: 8852 Tundra Daly Sinclair Prov. HZNTL 12-4-10-29 (WPM)
UWI: 100.12-04-010-29W1.00
- Intermediate Casing: 139.70 mm @ 887.00 m with 7.5 t
Finished Drilling: 09-Aug-2012
Total Depth: 2275.00 m
Rig Released: 10-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 10-Aug-2012
- Lic. No.: 8855 Fort Calgary East Manson Prov. HZNTL A10-29-13-28 (WPM)
UWI: 102.10-29-013-28W1.00
- Revision to Report of: 23-Jul-2012
Contractor: Precision Drilling – Rig# 409
- Spud Date: 09-Aug-2012
K.B. Elevation: 489.47 m
Surface Casing: 244.50 mm @ 141.00 m with 16.0 t
Intermediate Casing: 177.80 mm @ 833.00 m with 17.0 t
Status: Waiting On Cement (WOC)
Waiting On Cement: 13-Aug-2012

- Lic. No.: 8860 Tundra Daly Sinclair HZNTL 13-9-9-28 (WPM)
UWI: 100.13-09-009-28W1.00
- Spud Date: 09-Aug-2012
K.B. Elevation: 482.27 m
Surface Casing: 244.50 mm @ 143.00 m with 14.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 13-Aug-2012
- Lic. No.: 8881 Fort Calgary Souris 16-20-7-21 (WPM)
UWI: 102.16-20-007-21W1.00
- Surface Casing: 177.80 mm @ 132.00 m with 7.0 t
Finished Drilling: 10-Aug-2012
Total Depth: 599.00 m
Rig Released: 12-Aug-2012
Status: Abandoned Dry (ABD D)
Abandoned Dry: 12-Aug-2012
- Lic. No.: 8890 Relative Daly Sinclair A13-21-9-28 (WPM)
UWI: 102.13-21-009-28W1.00
- Surface Casing: 219.10 mm @ 130.00 m with 10.0 t
Production Casing: 139.70 mm @ 921.00 m with 19.5 t
Finished Drilling: 10-Aug-2012
Total Depth: 921.00 m
Rig Released: 11-Aug-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 11-Aug-2012
- Lic. No.: 8892 Legacy Pierson Prov. HZNTL 2-24-1-28 (WPM)
UWI: 100.02-24-001-28W1.00
- Licence Issued: 10-Aug-2012
Licensee: LEGACY OIL AND GAS INC.
Mineral Rights: LEGACY OIL AND GAS INC.
Contractor: Ensign Canadian/Big Sky Drilling - Rig# 650
Surface Location: 15D-24-01-28
Co-ords: 60.00m (S) of (N) boundary of Sec. 24
 425.00m (W) of (E) boundary of Sec. 24
Grd Elev: 454.18 m
Proj. TD: 2467 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

- Lic. No.: 8893 Legacy Pierson HZNTL 3-24-1-28 (WPM)
UWI: 102.03-24-001-28W1.00
- Licence Issued: 10-Aug-2012
Licensee: Legacy Oil + Gas Inc.
Mineral Rights: Legacy Oil + Gas Inc.
Contractor: Ensign Canadian/Big Sky Drilling - Rig# 650
Surface Location: 14C-24-01-28
Co-ords: 60.00m (S) of (N) boundary of Sec. 24
415.00m (E) of (W) boundary of Sec. 24
Grd Elev: 455.44 m
Proj. TD: 2467 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)
- Lic. No.: 8894 EOG Pierson Prov. HZNTL A3-34-1-28 (WPM)
UWI: 102.03-34-001-28W1.00
- Licence Issued: 10-Aug-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 01D-33-01-28
Co-ords: 230.00m (N) of (S) boundary of Sec. 33
94.91m (W) of (E) boundary of Sec. 33
Grd Elev: 459.74 m
Proj. TD: 1660 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)
- Lic. No.: 8895 EOG Pierson Prov. HZNTL B3-34-1-28 (WPM)
UWI: 103.03-34-001-28W1.00
- Licence Issued: 10-Aug-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 01D-33-01-28
Co-ords: 245.00m (N) of (S) boundary of Sec. 33
94.91m (W) of (E) boundary of Sec. 33
Grd Elev: 459.51 m
Proj. TD: 1660 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

- Lic. No.: 8896 Waskada Unit No. 15 HZNTL 9-33-1-26 (WPM)
 UWI: 102.09-33-001-26W1.00
- Licence Issued: 10-Aug-2012
 Licensee: Surge Energy Inc.
 Mineral Rights: Surge Energy Inc.
 Contractor: To Be Determined - Rig# 0
 Surface Location: 01C-04-02-26
 Co-ords: 267.80m (N) of (S) boundary of Sec. 4
 260.00m (W) of (E) boundary of Sec. 4
 Grd Elev: 459.99 m
 Proj. TD: 1892 m (Triassic)
 Field: Waskada
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8897 EOG Pierson Prov. HZNTL 13-29-1-28 (WPM)
 UWI: 102.13-29-001-28W1.00
- Licence Issued: 10-Aug-2012
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 15B-29-01-28
 Co-ords: 280.00m (S) of (N) boundary of Sec. 29
 663.11m (W) of (E) boundary of Sec. 29
 Grd Elev: 460.39 m
 Proj. TD: 1660 m (Triassic)
 Field: Pierson
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)
- Lic. No.: 8898 EOG Pierson Prov. HZNTL A6-34-1-28 (WPM)
 UWI: 102.06-34-001-28W1.00
- Licence Issued: 10-Aug-2012
 Licensee: EOG RESOURCES CANADA INC.
 Mineral Rights: EOG RESOURCES CANADA INC.
 Contractor: Precision Drilling (1987) Ltd. - Rig# 195
 Surface Location: 08D-33-01-28
 Co-ords: 643.39m (N) of (S) boundary of Sec. 33
 60.00m (W) of (E) boundary of Sec. 33
 Grd Elev: 460.49 m
 Proj. TD: 1660 m (Triassic)
 Field: Pierson
 Classification: DEVELOPMENT (NON CONFIDENTIAL)
 Status: Location(LOC)

Lic. No.: 8899

EOG Pierson Prov. HZNTL B6-34-1-28 (WPM)
UWI: 103.06-34-001-28W1.00

Licence Issued: 10-Aug-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 08D-33-01-28
Co-ords: 628.39m (N) of (S) boundary of Sec. 33
 60.00m (W) of (E) boundary of Sec. 33
Grd Elev: 460.41 m
Proj. TD: 1660 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8900

Fort Calgary East Manson Prov. HZNTL A12-29-13-28 (WPM)
UWI: 103.12-29-013-28W1.00

Licence Issued: 10-Aug-2012
Licensee: Fort Calgary Resources Ltd.
Mineral Rights: Fort Calgary Resources Ltd.
Contractor: Terroco Drilling Ltd. - Rig# 9
Surface Location: 10A-29-13-28
Co-ords: 604.16m (S) of (N) boundary of Sec. 29
 405.30m (W) of (E) boundary of Sec. 29
Grd Elev: 487.84 m
Proj. TD: 1785.00 m (Devonian)
Field: Manson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

WELL NAME CHANGES

Lic. No.: 7960

From: Waskada Unit No. 15 SWD A16-3-2-26 (WPM)

To: Surge Waskada SWD A16-3-2-26 (WPM)