




MMPP - Fertilizer Data Browser

Select Municipalities or MASC Risk Areas

Tip: Click or touch the 'X' (at right) in these tip balloons to hide them permanently. ✕

Tip: Click or touch the button below to select Municipalities or MASC Risk Areas. ✕

Tip: Click or touch in the select boxes (below) to select at least one item from each list. Click or touch the  icon to clear all selected items. ✕

Select Crop(s)

Select Soil Type(s)

Select Year Range

 to

Search Summary

16 records returned

52 farm varieties grown on **3,497.0** acres

Average Yield

2.484 Tonnes (**2.738** Tons) per acre

Average Fertilizer Application

Nitrogen: **18.3** lbs per acre

Phosphorus: **41.4** lbs per acre

Potassium: **19.9** lbs per acre

Sulphur: **4.2** lbs per acre

Summary includes aggregate data from 'below minimum tolerance' records

Fertilizer Data

'**Below Minimum Tolerance**' records contain data from fewer than 3 producers or 500 acres, marked as such to retain producer anonymity. Data from these records is included in the Search Summary totals.

Copy to Clipboard

Save as XLS

Showing 1 to 16 of 16 entries

First

Previous

Next

Last

Year	Risk Area / R.M.	Crop	Soil	Farms	Acres	Yield/acre (Imperial)	Nitrogen (lbs)	Phosphorus (lbs)
2017	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	F	7	506.0	2.754 Tons	17.8	42.2
2009	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	E	Below	Minimum			
2009	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	F	Below	Minimum			
2010	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	E	Below	Minimum			
2010	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	F	Below	Minimum			
2011	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	E	Below	Minimum			
2011	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	F	Below	Minimum			
2013	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	F	Below	Minimum			
2014	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	F	Below	Minimum			
2015	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	E	Below	Minimum			
2015	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	F	Below	Minimum			
2016	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	E	Below	Minimum			
2016	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	F	Below	Minimum			
2017	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	E	Below	Minimum			
2018	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	E	Below	Minimum			
2018	WESTLAKE-GLADSTONE	ALFALFA/GRASS MIX.	F	Below	Minimum			

Show entries

First

Previous

Next

Last

Copyright © 2021 Manitoba Agricultural Services Corporation. All rights reserved.




MMPP - Fertilizer Data Browser

Select Municipalities or MASC Risk Areas

Tip: Click or touch the 'X' (at right) in these tip balloons to hide them permanently. ✕

Tip: Click or touch the button below to select Municipalities or MASC Risk Areas. ✕

Tip: Click or touch in the select boxes (below) to select at least one item from each list. Click or touch the  icon ✕ to clear all selected items.

Select Crop(s)

Select Soil Type(s)

Select Year Range

 to

Search Summary

20 records returned

908 farm varieties grown on **314,794.0** acres

Average Yield

0.826 Tonnes (**36.4** Bushels) per acre

Average Fertilizer Application

Nitrogen: **103.1** lbs per acre

Phosphorus: **34.2** lbs per acre

Potassium: **13.4** lbs per acre

Sulphur: **15.4** lbs per acre

Summary includes aggregate data from 'below minimum tolerance' records

Fertilizer Data

'**Below Minimum Tolerance**' records contain data from fewer than 3 producers or 500 acres, marked as such to retain producer anonymity. Data from these records is included in the Search Summary totals.

Copy to Clipboard

Save as XLS

Showing 1 to 20 of 20 entries

First

Previous

Next

Last

Year	Risk Area / R.M.	Crop	Soil	Farms	Acres	Yield/acre (Imperial)	Nitrogen (lbs)	Phosphorus (lbs)	P (I
2013	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	49	19,189.0	47.3 Bushels	103.7	32.6	9.9
2017	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	35	11,983.0	46.4 Bushels	115.1	38.1	21.0
2009	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	56	14,654.0	45.4 Bushels	92.7	29.0	9.6
2017	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	42	12,105.0	44.6 Bushels	109.6	38.2	18.0
2009	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	52	19,667.0	44.3 Bushels	91.2	29.7	7.2
2013	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	57	16,601.0	40.8 Bushels	95.2	33.6	14.0
2015	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	42	14,929.0	40.4 Bushels	110.4	34.8	13.0
2016	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	44	21,193.0	39.9 Bushels	111.4	40.3	15.0
2018	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	36	18,325.0	39.2 Bushels	123.1	38.5	13.0
2015	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	45	13,365.0	38.7 Bushels	105.3	33.6	12.0
2016	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	52	15,010.0	38.5 Bushels	103.2	35.7	17.0
2018	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	37	9,667.0	38.3 Bushels	116.9	38.7	18.0
2014	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	46	22,565.0	34.5 Bushels	104.8	34.2	12.0
2014	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	47	14,264.0	33.9 Bushels	98.4	38.2	14.0
2011	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	21	6,146.0	29.6 Bushels	102.1	28.2	9.0
2012	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	62	16,712.0	26.7 Bushels	97.1	32.2	16.0
2011	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	25	6,086.0	26.3 Bushels	99.4	27.3	9.9
2012	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	54	24,783.0	26.0 Bushels	94.9	31.9	12.0
2010	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	F	57	17,120.0	25.5 Bushels	97.4	32.3	12.0

Year	Risk Area / R.M.	Crop	Soil	Farms	Acres	Yield/acre (Imperial)	Nitrogen (lbs)	Phosphorus (lbs)	P (I
2010	WESTLAKE-GLADSTONE	ARGENTINE CANOLA	E	49	20,430.0	23.8 Bushels	100.2	33.7	11.

Show entries[First](#)[Previous](#)[Next](#)[Last](#)

Copyright © 2021 Manitoba Agricultural Services Corporation. All rights reserved.




MMPP - Fertilizer Data Browser

Select Municipalities or MASC Risk Areas

Tip: Click or touch the 'X' (at right) in these tip balloons to hide them permanently. ✕

Tip: Click or touch the button below to select Municipalities or MASC Risk Areas. ✕

Municipalities

Tip: Click or touch in the select boxes (below) to select at least one item from each list. Click or touch the  icon ✕ to clear all selected items.

WESTLAKE-GLADSTONE 

Select Crop(s)

BARLEY 

Select Soil Type(s)

SOIL TYPE E, SOIL TYPE F 

Select Year Range

1993 1998 2003 2007 2012 2017

2009 to **2018**

Search Summary

20 records returned

184 farm varieties grown on **35,866.0** acres

Average Yield

1.706 Tonnes (**78.4** Bushels) per acre

Average Fertilizer Application

Nitrogen: **79.4** lbs per acre

Phosphorus: **33.3** lbs per acre

Potassium: **13.7** lbs per acre

Sulphur: **5.6** lbs per acre

Summary includes aggregate data from 'below minimum tolerance' records

Fertilizer Data

'Below Minimum Tolerance' records contain data from fewer than 3 producers or 500 acres, marked as such to retain producer anonymity. Data from these records is included in the Search Summary totals.

Copy to Clipboard

Save as XLS

Showing 1 to 20 of 20 entries

First

Previous

Next

Last

Year	Risk Area / R.M.	Crop	Soil	Farms	Acres	Yield/acre (Imperial)	Nitrogen (lbs)	Phosphorus (lbs)	Pot (lb)
2017	WESTLAKE-GLADSTONE	BARLEY	E	5	1,165.0	106.3 Bushels	76.2	36.2	23.6
2009	WESTLAKE-GLADSTONE	BARLEY	F	13	2,609.0	98.6 Bushels	76.8	31.3	12.7
2013	WESTLAKE-GLADSTONE	BARLEY	E	11	1,664.0	94.3 Bushels	81.0	30.6	14.5
2009	WESTLAKE-GLADSTONE	BARLEY	E	11	1,844.0	93.6 Bushels	70.3	29.8	4.6
2013	WESTLAKE-GLADSTONE	BARLEY	F	16	2,267.0	92.8 Bushels	76.1	27.0	13.7
2016	WESTLAKE-GLADSTONE	BARLEY	F	10	2,780.0	89.5 Bushels	85.6	33.9	20.7
2017	WESTLAKE-GLADSTONE	BARLEY	F	6	2,124.0	84.4 Bushels	76.1	34.4	10.1
2016	WESTLAKE-GLADSTONE	BARLEY	E	5	787.0	83.5 Bushels	88.2	41.9	14.3
2010	WESTLAKE-GLADSTONE	BARLEY	F	14	3,408.0	80.6 Bushels	74.2	30.8	13.1
2015	WESTLAKE-GLADSTONE	BARLEY	E	10	1,582.0	76.5 Bushels	81.1	38.8	21.1
2010	WESTLAKE-GLADSTONE	BARLEY	E	8	1,353.0	71.6 Bushels	92.8	34.6	17.3
2014	WESTLAKE-GLADSTONE	BARLEY	E	8	1,003.0	70.9 Bushels	93.3	39.9	18.3
2014	WESTLAKE-GLADSTONE	BARLEY	F	12	3,330.0	64.3 Bushels	74.1	32.5	15.7
2012	WESTLAKE-GLADSTONE	BARLEY	E	10	2,109.0	63.8 Bushels	91.5	37.4	10.6
2012	WESTLAKE-GLADSTONE	BARLEY	F	18	3,763.0	63.4 Bushels	73.3	28.7	11.5
2018	WESTLAKE-GLADSTONE	BARLEY	F	8	1,507.0	62.0 Bushels	79.8	41.9	9.1
2015	WESTLAKE-GLADSTONE	BARLEY	F	9	1,943.0	59.0 Bushels	85.2	34.0	10.0
2011	WESTLAKE-GLADSTONE	BARLEY	E	Below	Minimum				
2011	WESTLAKE-GLADSTONE	BARLEY	F	Below	Minimum				

Year	Risk Area / R.M.	Crop	Soil	Farms	Acres	Yield/acre (Imperial)	Nitrogen (lbs)	Phosphorus (lbs)	Potash (lb)
2018	WESTLAKE-GLADSTONE	BARLEY	E	Below	Minimum				

Show entries

[First](#) [Previous](#) [Next](#) [Last](#)

Copyright © 2021 Manitoba Agricultural Services Corporation. All rights reserved.




MMPP - Fertilizer Data Browser

Select Municipalities or MASC Risk Areas

Tip: Click or touch the 'X' (at right) in these tip balloons to hide them permanently. ✕

Tip: Click or touch the button below to select Municipalities or MASC Risk Areas. ✕

Tip: Click or touch in the select boxes (below) to select at least one item from each list. Click or touch the  icon ✕ to clear all selected items.

Select Crop(s)

Select Soil Type(s)

Select Year Range

1993 1998 2003 2007 2012 2017

 to

Search Summary

19 records returned

159 farm varieties grown on **23,502.0** acres

Average Yield

1.501 Tonnes (**97.4** Bushels) per acre

Average Fertilizer Application

Nitrogen: **65.2** lbs per acre

Phosphorus: **29.5** lbs per acre

Potassium: **9.9** lbs per acre

Sulphur: **3.1** lbs per acre

Summary includes aggregate data from 'below minimum tolerance' records

Fertilizer Data

'Below Minimum Tolerance' records contain data from fewer than 3 producers or 500 acres, marked as such to retain producer anonymity. Data from these records is included in the Search Summary totals.

Copy to Clipboard

Save as XLS

Showing 1 to 19 of 19 entries

First

Previous

Next

Last

Year	Risk Area / R.M.	Crop	Soil	Farms	Acres	Yield/acre (Imperial)	Nitrogen (lbs)	Phosphorus (lbs)	Po (lb)
2017	WESTLAKE-GLADSTONE	OATS	F	11	1,273.0	126.4 Bushels	68.8	33.0	6.3
2013	WESTLAKE-GLADSTONE	OATS	F	10	1,820.0	121.9 Bushels	71.0	28.8	3.3
2016	WESTLAKE-GLADSTONE	OATS	E	5	695.0	120.7 Bushels	63.4	37.3	10.4
2009	WESTLAKE-GLADSTONE	OATS	E	13	2,061.0	116.7 Bushels	63.8	27.0	5.9
2016	WESTLAKE-GLADSTONE	OATS	F	9	841.0	109.8 Bushels	68.6	31.6	16.2
2015	WESTLAKE-GLADSTONE	OATS	E	8	1,271.0	108.8 Bushels	71.8	33.0	16.8
2009	WESTLAKE-GLADSTONE	OATS	F	17	1,850.0	106.0 Bushels	61.8	25.2	9.6
2013	WESTLAKE-GLADSTONE	OATS	E	6	818.0	105.8 Bushels	66.4	24.9	4.5
2010	WESTLAKE-GLADSTONE	OATS	E	10	2,445.0	94.1 Bushels	56.2	26.7	7.1
2015	WESTLAKE-GLADSTONE	OATS	F	7	2,013.0	89.8 Bushels	71.5	27.2	10.2
2010	WESTLAKE-GLADSTONE	OATS	F	12	1,878.0	87.5 Bushels	57.0	30.0	18.2
2014	WESTLAKE-GLADSTONE	OATS	E	10	1,308.0	84.0 Bushels	66.2	29.8	13.8
2014	WESTLAKE-GLADSTONE	OATS	F	8	1,278.0	76.8 Bushels	69.6	32.7	22.6
2018	WESTLAKE-GLADSTONE	OATS	F	5	561.0	71.5 Bushels	60.1	32.8	5.6
2012	WESTLAKE-GLADSTONE	OATS	F	15	2,146.0	63.3 Bushels	68.2	32.1	6.5
2011	WESTLAKE-GLADSTONE	OATS	F	Below	Minimum				
2012	WESTLAKE-GLADSTONE	OATS	E	Below	Minimum				
2017	WESTLAKE-GLADSTONE	OATS	E	Below	Minimum				
2018	WESTLAKE-GLADSTONE	OATS	E	Below	Minimum				

Show entries

First

Previous

Next

Last

Copyright © 2021 Manitoba Agricultural Services Corporation. All rights reserved.




MMPP - Fertilizer Data Browser

Select Municipalities or MASC Risk Areas

Tip: Click or touch the 'X' (at right) in these tip balloons to hide them permanently. ✕

Tip: Click or touch the button below to select Municipalities or MASC Risk Areas. ✕

Tip: Click or touch in the select boxes (below) to select at least one item from each list. Click or touch the  icon ✕ to clear all selected items.

Select Crop(s)

Select Soil Type(s)

Select Year Range



2009 to **2018**

Search Summary

20 records returned

740 farm varieties grown on **213,626.0** acres

Average Yield

1.464 Tonnes (**53.8** Bushels) per acre

Average Fertilizer Application

Nitrogen: **93.6** lbs per acre

Phosphorus: **35.1** lbs per acre

Potassium: **13.2** lbs per acre

Sulphur: **4.3** lbs per acre

Summary includes aggregate data from 'below minimum tolerance' records

Fertilizer Data

'**Below Minimum Tolerance**' records contain data from fewer than 3 producers or 500 acres, marked as such to retain producer anonymity. Data from these records is included in the Search Summary totals.

Copy to Clipboard

Save as XLS

Showing 1 to 20 of 20 entries

First

Previous

Next

Last

Year	Risk Area / R.M.	Crop	Soil	Farms	Acres	Yield/acre (Imperial)	Nitrogen (lbs)	Phosphorus (lbs)	Po (lb)
2017	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	34	11,041.0	81.1 Bushels	105.9	40.6	19.2
2017	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	33	7,552.0	77.7 Bushels	104.3	36.8	19.0
2013	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	36	15,096.0	65.6 Bushels	89.1	34.7	11.7
2016	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	39	11,823.0	63.1 Bushels	97.8	37.9	18.3
2013	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	43	9,197.0	61.3 Bushels	89.3	33.6	14.4
2018	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	37	11,452.0	55.9 Bushels	111.6	46.3	23.3
2015	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	35	13,470.0	55.7 Bushels	100.4	36.6	11.9
2009	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	45	13,306.0	55.5 Bushels	82.8	29.5	7.2
2016	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	41	9,014.0	55.5 Bushels	96.8	35.3	12.1
2009	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	43	16,208.0	54.3 Bushels	83.3	31.8	8.8
2015	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	43	10,458.0	50.8 Bushels	102.0	34.7	15.2
2018	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	41	12,425.0	49.8 Bushels	106.4	37.2	20.0
2012	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	31	10,725.0	48.6 Bushels	86.5	33.6	11.7
2014	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	30	8,847.0	47.4 Bushels	94.5	33.7	12.1

Year	Risk Area / R.M.	Crop	Soil	Farms	Acres	Yield/acre (Imperial)	Nitrogen (lbs)	Phosphorus (lbs)	Pot (lb)
2012	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	40	9,110.0	45.5 Bushels	89.6	34.2	10.9
2014	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	34	7,671.0	42.8 Bushels	90.6	35.6	12.1
2010	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	49	11,158.0	40.7 Bushels	87.8	32.5	7.7
2010	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	46	16,500.0	39.4 Bushels	85.4	32.1	9.7
2011	WESTLAKE-GLADSTONE	RED SPRING WHEAT	E	19	4,894.0	31.2 Bushels	80.9	32.1	9.0
2011	WESTLAKE-GLADSTONE	RED SPRING WHEAT	F	21	3,679.0	30.4 Bushels	87.7	36.4	9.9

Show entries

[First](#)

[Previous](#)

[Next](#)

[Last](#)

Copyright © 2021 Manitoba Agricultural Services Corporation. All rights reserved.




MMPP - Fertilizer Data Browser

Select Municipalities or MASC Risk Areas

Tip: Click or touch the 'X' (at right) in these tip balloons to hide them permanently. ✕

Tip: Click or touch the button below to select Municipalities or MASC Risk Areas. ✕

Tip: Click or touch in the select boxes (below) to select at least one item from each list. Click or touch the  icon ✕ to clear all selected items.

Select Crop(s)

Select Soil Type(s)

Select Year Range

 A horizontal timeline slider with a light gray track. The track has vertical tick marks and labels for the years 1993, 1998, 2003, 2007, 2012, and 2017. Two green square handles are positioned on the track: one at the year 2009 and another at the year 2018.

 to

Search Summary

19 records returned

289 farm varieties grown on **85,822.0** acres

Average Yield

1.008 Tonnes (**37.0** Bushels) per acre

Average Fertilizer Application

Nitrogen: **4.8** lbs per acre

Phosphorus: **36.2** lbs per acre

Potassium: **28.9** lbs per acre

Sulphur: **5.0** lbs per acre

Summary includes aggregate data from 'below minimum tolerance' records

Fertilizer Data

'**Below Minimum Tolerance**' records contain data from fewer than 3 producers or 500 acres, marked as such to retain producer anonymity. Data from these records is included in the Search Summary totals.

Copy to Clipboard

Save as XLS

Showing 1 to 19 of 19 entries

First

Previous

Next

Last

Year	Risk Area / R.M.	Crop	Soil	Farms	Acres	Yield/acre (Imperial)	Nitrogen (lbs)	Phosphorus (lbs)	Pc (lb
2016	WESTLAKE-GLADSTONE	SOYBEANS	E	22	6,867.0	47.1 Bushels	4.2	38.0	28.9
2013	WESTLAKE-GLADSTONE	SOYBEANS	E	14	3,555.0	44.2 Bushels	3.0	34.3	19.9
2013	WESTLAKE-GLADSTONE	SOYBEANS	F	10	2,995.0	43.1 Bushels	4.0	29.1	19.9
2015	WESTLAKE-GLADSTONE	SOYBEANS	E	22	8,132.0	42.7 Bushels	4.6	30.5	20.2
2017	WESTLAKE-GLADSTONE	SOYBEANS	E	27	10,859.0	41.5 Bushels	5.2	39.7	32.3
2014	WESTLAKE-GLADSTONE	SOYBEANS	E	16	3,999.0	40.8 Bushels	7.5	28.0	26.6
2015	WESTLAKE-GLADSTONE	SOYBEANS	F	24	5,691.0	39.4 Bushels	5.5	36.5	24.9
2016	WESTLAKE-GLADSTONE	SOYBEANS	F	27	6,256.0	38.3 Bushels	5.2	36.7	25.0
2017	WESTLAKE-GLADSTONE	SOYBEANS	F	29	6,654.0	36.6 Bushels	6.9	37.0	29.8
2012	WESTLAKE-GLADSTONE	SOYBEANS	E	6	988.0	34.2 Bushels	8.2	29.9	16.4
2018	WESTLAKE-GLADSTONE	SOYBEANS	E	27	12,319.0	32.5 Bushels	3.8	42.1	40.9
2014	WESTLAKE-GLADSTONE	SOYBEANS	F	22	4,359.0	31.1 Bushels	6.4	31.3	26.2
2018	WESTLAKE-GLADSTONE	SOYBEANS	F	31	9,887.0	25.2 Bushels	4.2	42.1	36.8
2012	WESTLAKE-GLADSTONE	SOYBEANS	F	5	1,167.0	20.3 Bushels	0.0	16.9	5.9
2009	WESTLAKE-GLADSTONE	SOYBEANS	E	Below	Minimum				
2009	WESTLAKE-GLADSTONE	SOYBEANS	F	Below	Minimum				
2010	WESTLAKE-GLADSTONE	SOYBEANS	E	Below	Minimum				
2011	WESTLAKE-GLADSTONE	SOYBEANS	E	Below	Minimum				
2011	WESTLAKE-GLADSTONE	SOYBEANS	F	Below	Minimum				

Show entries

First

Previous

Next

Last

Copyright © 2021 Manitoba Agricultural Services Corporation. All rights reserved.