

Environment and Climate

Environmental Approvals Branch 14 Fultz Boulevard (Box 35) Winnipeg MB R3Y 0L6 T 204-945-8321 F 204-945-5229 EABDirector@gov.mb.ca

File No.: 3967.10

July 7, 2023

Greg Elson
Public Works Manager
Rural Municipality of St. Clements
Box 2 Grp 35 RR1
East Selkirk MB R03 0M0
pwmanager@rmofstclements.com

Dear Greg Elson:

Re: Rural Municipality of St. Clements - Notice of Alteration Approval - Environment Act Licence No. 2274 S2 RRR

Thank you for your notice of alteration dated June 23, 2023. The department understands you wish to continue the pilot leachate irrigation project (project) for two more growing seasons to obtain meaningful results. You also plan to use the same testing and sampling conditions as previously authorized by the notice of alteration approval dated June 18, 2021.

I approve the alteration per section 14(2) of The Environment Act with the following conditions:

- 1. The project must be completed by December 31, 2024.
- 2. The Rural Municipality of St. Clements must submit a final report on the findings and recommendations of the project by February 28, 2025, following clause 8 of the June 18, 2021, notice of alteration approval.

All other clauses of Environment Act Licence No. 2274 S2 RRR, as well as notice of alteration approvals dated June 18, 2021, and September 27, 2021, remain in effect. This and the former approvals are available on the public registry at https://www.gov.mb.ca/sd/eal/registries/3967stclements/index.html.

If you have any questions regarding this approval, please contact Edwin Yazon, Environmental Engineer, Environmental Approvals Branch at Edwin.Yazon@gov.mb.ca or 431-335-2554.

If you have any questions relating to the ongoing administration of the licence, please contact Kim Kmet, Acting Regional Supervisor, Environmental Compliance and Enforcement Branch at <a href="mailto:envceloper-number-

Sincerely,

Siobhan Burland Ross For Agnes Wittmann Director The Environment Act

c. Stan Lozecznik Arlita Madrigga Kim Kmet Edwin Yazon